Press Bulletin Series

For the Oil and Gas Industry

STATE OF ILLINOIS I E. STEVENSON, Go ADLAI E. STEVENSON, Governor DEPARTMENT OF REGISTRATION AND EDUCATION

NOBLE J. PUFFER, Director DIVISION OF THE

GEOLOGICAL SURVEY STATE M. M. LEIGHTON, Chief URBANA

No. 60

ILLINOIS PETROLEUM Printed by Authority of the State of Illinois October 22, 1949

Oil and Gas Development in Illinois in 1948

BY ALFRED H. BELL, MEMBER AIME, AND VIRGINIA KLINE*

PRODUCTION AND DRILLING

In 1948, Illinois produced 64,669,000 bbl of oil, or 3.2 pct of the total for the United States, and ranked sixth in the nation for the sixth consecutive year. Production decreased about 3 pct from that of 1947, when the total Illinois production was 66,459,000 bbl (Fig. 1). Daily average production by months was as follows:

Month	Barrels	Month	Barrels
January	.172,000	July	178,000
February	174,000	August	181,000
March	174,000	September	179,000
April	.170,000	Oetober .	182,000
May	172,000	November	. 180,000
June		December	178,000

It is noteworthy that the average daily oil production in Illinois in the second half of 1948 was 180,000 bbl, as compared with 174,000 bbl in the first half. This increase of 31/2 pct is ascribed to successful new drilling and to increases in production by secondary recovery operations which together were more than enough to offset the declines in production rate of many of the older wells.

During the year, 2,489 wells were drilled for oil or gas as compared with 2,046 in 1947, an increase of about 22 pct. This is the largest number of wells drilled in any year since 1941. Of the 2,489 wells drilled, 1,285 were oil wells, 10 were gas wells, and 1,194 were dry holes. Producing wells made up 52 pct of the wells completed, a decrease of 1 pct from 1947. This decrease is entirely due to a decrease in successful wildcat completions, since the percentage of successful pool wells remained at 66 pct, while the percentage of successful wildcat wells decreased from 18 pct in 1947 to 12 pct in 1948.

Data on production and drilling by fields are given in Table 1, on annual production and drilling for Illinois in Table 3, and on drilling in 1948 by counties in Table 5.

DISCOVERIES

Twenty-eight oil fields (Table 2A, Fig. 2), 47 extensions to oil fields (Table 2B), and 25 new producing zones in fields (Table 2C) were discovered in 17 counties in Illinois in 1948. Of the 28 new pools, 2 were lost by consolidation (Maud West and Maud Central were consolidated with Maud North), and one, Mayberry North, was abandoned. The new fields having the largest number of producing wells at the end of 1948 were Rochester with 31 wells and Clay City North and Sailor Springs West with 15 wells each. At the end of the year a total of 97 oil wells were producing in 26 new fields as compared with 147 oil wells and 1 gas well producing at the end of 1947 from 28 fields discovered during that year. Initial productions of discovery wells of new pools ranged from 2 to 600 bbl of oil with an average of about 100 bbl of oil per well, as compared with an average of 115 bbl in 1947.

In fields discovered since 1936, the total number of wells producing at the end of 1948 was 15,685.

EXPLORATORY DRILLING

Of the total number of wells drilled during 1948, wildcats accounted for 628,

Manuscript received at the office of the Institute, May, 1949.

Reprinted from Statistics of Oil and Gas Development and Production, 1949, American Institute of Mining and Metallurgical Engineers,

Geologist and Associate Geologist, respectively, Oil Gas Division, Illinois State Geological Survey.

cr about 25 pct (Table 4). Of this number, 75, or 12 pct were successful in obtaining production. Although the number of wildcats drilled increased from 536 in 1947 to 628 in 1948, the number of successful completions decreased from 97 (or 18 pct) in 1947 to the 1948 total of 75 (or 12 pct).

Of the 628 wildcat wells, 397 were drilled less than two miles from produc-

One "Trenton" and two Devonian pools were discovered in 1948. The Craig pool in Perry County produces from the "Trenton" limestone. It was discovered in December and is about 35 miles from the nearest "Trenton" production, which is in the Centralia pool in Clinton County. "Trenton" production was discovered during the year in the northern end of the Centralia pool and was being devel-




Fig. 1—Number of Producing Wells and Oil Production in Illinois, 1937 to 1948.

tion; of these, 47, or 11.8 pct, were successful. Of the 231 wildcat wells drilled more than two miles from production, 28, or about 12 pct, were successful. Corresponding figures for 1947 were 314 wells drilled less than two miles from production with 69, or 22 pct successful, and 222 more than two miles from production with 28, or 12.6 pct successful.

In existing pools 60 wells were drilled to test deeper pays. Of this number 4, or 6.6 pct, opened up new pays.

A generalized geologic column for the southern Illinois oil region showing principal oil and gas producing strata is shown as Fig. 3.

oped rapidly at the end of the year. Previous "Trenton" production in Centralia had consisted of two small wells near the south end of the pool. "Trenton" production was also discovered in the Shattuc pool less than two miles from the new Centralia "Trenton" area.

New Devonian pools were Assumption and Assumption North in Christian County, both north of any important pool in the state except Colmar-Plymouth. Assumption North, discovered in December, was also producing from two Mississippian sands by the end of the year and appeared to be one of the best discoveries of 1948. The Rosiclare sandstone



production appears to be more important than the Devonian. The first Silurian production of importance in the McKinley pool in Washington County was developed during the year.

Unsuccessful deep tests in pools included completion of a well that was drilled into the pre-Cambrian in the




Fig. 2 — Oil and Gas Fields of Illinois, Numbers Indicate 1948 Discoveries.

- 1. Akin West
- 2. Assumption
- 3. Assumption North 4. Clay City North
- 5. Craig
- 6. Divide South
- 7. Evers
- 8. Evers South
- 9. Goldengate West
- 10. Herald North
- 11. Lancaster North
- 12. Livingston
- 13. Maud Central
- 14. Maud West
- 15. Mayberry North 16. Mills Prairie
- 17. Parkersburg South
- 18. Passport South
- 19. Riffle
- 20. Rochester
- 20. Rochester
 21. Sailor Springs Central
 22. Sailor Springs North
 23. Sailor Springs West
 24. Shawneetown North
 25. Stringtown East
 26. Sumpter South
 27. Williams
 28. Zenith

Table 1 — Oil and Gas Production in Illinois

		Producing Formation		Oil	l Production	ı	Gas P	roductio	on
					Thousands	of Bbl		Millio Cu F	
	Field, <i>County</i> ª	Name and Ageb	Year of Discovery	Area Proved, Aeres	To End of 1948	During 1948	Area Proved, Acres	To End of 1948	During 1948
	Warrenton-Borton, Edgar	. Unnamed; Pen	1906	100	30	0	0	0	
	Westfield, Clark-Coles	Shallow Gas; Pen Westfield; MisL	1904	10,000 9,025 9,000	I I I	I I	I I I	I I	
	Siggins, Cumberland-Clark	Trenton; Ord	1906	250 4,000	I I	6	0 x	1 0 1	
	60,	First Siggins; Pen 2nd & 3rd Siggins; Pen		3,200 500	I I	r r	x x	I I I	
	York, Cumberland-Clark4	Lower Siggins; Pen York; Pen	1907	1,000 350	I I	0	x x	I	
	Casey, Clark	Upper Gas; Pen Lower Gas; Pen	1906	2,100 200 400	I I I	r r	I I I	I I I	
	Martinsville, Clark	Casey; Pen	1907	1,540 900	I I	I I	I I	I	
	$\label{eq:clark} \mbox{Johnson North, Clark}.$	Shallow; Pen Casey; Pen Martinsville; Misl. Carper; MisL "Niagara"; Dev "Trenton"; Ord Claypool; Pen	1907	35 310 710 600 660 10 2,400 1,200	x x x x	1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1	X	
	Johnson South, Clark	Shallow; Pen Casey; Pen Upper Partlow; Pen Carper; MisL	1907	200 900 250 10 2,200	r r r	I I I I	x x x x	I I I I	
)		Claypool; Pen Casey; Pen Upper Partlow; Pen		200 300 1,700	I I	I I I	I I I	r r r	
	Bellair, Crawford-Jasper.	Lower Partlow; Pen "500 ft."; Pen "800 ft."; Pen "900 ft."; Pen	1907	850 1,500 x	x x	I I I	x x x x	I I I I	
3	Clark County Division 5. Main, Crawford ⁶	900 ft. , Fen	1906	23,450 35,700	57,358 x	1,136	x x	I	
		Shallow; Pen Robinson; Pen Oblong; MisL Salem; MisL		340 34,320 1,000 80	X X X	I I I	x x 0 0	x x 0 0	
	New Hebron, Crawford Chapman, Crawford Parker, Crawford Allison-Weger, Crawford Flat Rock, Crawford	Devonian; Dev Robinson; Pen Robinson; Pen Robinson; Pen Robinson; Pen Robinson; Pen Robinson; Pen	1909 1914 1907 x x	30 1,570 1,560 1,340 1,100 1,925 4,485	x x x	I I I I I	x x x x	I I I I	
ĺ	Birds, Crawford-Lawrence Crawford County Division ⁸ Lawrence, Lawrence-Crawford	TOOMSON, I CH	1906	47,680 26,300	150,421	1,299 x	I I I	I	
3	,	Pennsylvania; Pen Bridgeport; Pen Buchanan; Pen "Gas"; MisU Jackson: MisU		85 5,050 2,300 1,440	x x x x	I I I I	I I I I	I I I I	
6 7 8 9		Jackson; MisU Kirkwood; MisU Tracey; MisU Aux Vases; MisU		16,200 4,500 10	r r r	x x x	x x x	I I I	
0		Rosielare; MisL		220		I	x	I	

 $^{^{\}rm n}$ Footnotes to column heads and explanation of symbols given on last page of book. Special footnotes (1-74) to this table are given at the end of the table.

Table 1 — Continued

		umber of Vells			Wells roducing Dec. 194		Pres	ervoir sure, si ¹			acter f		Prod	ucing Fo	rmati	on	Deepest Tested ⁿ End of	to
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.?	Sulphur, Per Cent	Character '	Porosity, Per Centi	Depth to Top of Producing Zone, Ft. k	Productive Thickness Avg. Ft. ¹ Net	Structure	Name	Depth of Hole, Ft.
1 2 3 3 4 4 5 6 6 7 7 8 8 9 100 111 12 13 3 14 4 15 5 16 16 16 17 7 18 8 19 20 2 22 23 23 3 3 14 2 2 5 6 2 7 7 2 2 9 9 3 0 0 4 11 4 2 2 5 6 3 3 6 4 1 4 4 5 4 6 6 4 6 7 5 5 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	22 1,638 193 1,449 16 1,030 202 202 70 535 41 82 220 7 64 423 322 220 7 64 423 321 46 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	0 6 3 3 7 7 0 0 0 0 0 1 0 0 0 0 0 1 0 0 0 0 0 0	0 444		0 0 193	000000000000000000000000000000000000000	x x x x x x x x x x x x x x x x x x x		G G G G G G G G G	30.0 33.5 38.2 34.0 (33.6) (25.7) (30.3) (31.9) (30.1) (33.6) 22.5 32.8 32.8 32.8 32.8 32.8 33.8 31.8	- 1	a all sees ass solvet sees asso ass ashieves associates	P PCC PPPP PPPPPPPPPPPPPPPPPPPPPPPPPPP	1600 2800 3353 3655 365599 2655599 2655500 11,5505 22,700 41553351 1,325 2390 4500 1,310 1	40 x x 40 x x 40 x x x x x x x x x x x x	ML D D D D D D D D D D D D D D D D D D D	Trenton St. Peter Dev Dev MisL St. Peter Dev MisL St. Peter MisL St. Peter St. Peter St. Peter St. Peter Mis Mis Pen Pen Dev MisL St. Peter St. Peter St. Peter	2,212 3,009 2,010 2,381 910 3,411 1,910 2,030 1,471 3,411 4,654 2,056 2,279 1,227 1,011 3,415 4,654 5,190

Table 1 — Continued

		Producing Formation		Oi	l Productio	n	Gas 1	Producti	on
		-			Thousands	of Bbl		Milli Cu F	
Line Number	Field, County ^a	Name and Age ^b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
61		McClosky; MisL		7,040	I	x	x	I	x
62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	St. Francisville, Lawrence Lawrence County Division ¹⁶ . Allendale, Wabash-Lawrence ¹¹ .	Pennsylvania; Pen Bridgeport; Pen Bridgeport; Pen Buchanan; Pen Bichl; Pen Jordan; Pen Waltersburg; MisU Cypress; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosielare; MisL McClosky; MisL	x 1912	420 26,720 5,280 x x x x x x x x x x x x x x x x x x x	I I I I I I I I I I I I I I I I I I I	704 x x x x x x x x x x x x x x x x x x x	0 0 0 0 0 0 0 0	00 x 00 00 00 00 00 00 00 00 00 00 00 00	
79 80 81 82 83 84 85 86 87 88 99 91 92 93 94 95	Total Southern Fields ¹² Ayers (Gas), Bond Greenville (Gas), Bond ¹³ Bartelso, Clinton Carlyle, Clinton Frogtown, Clinton ¹⁴ Ava-Campbell Hill, Jackson ¹⁵ Colmar-Plymouth, McDonough-Hancock Carlinville, Macoupin ¹⁸ Gillespie-Benld (Gas), Macoupin ¹⁷ Gillespie-Wyen, Macoupin Spanish Needle Creek (Gas), Macoupin ¹⁸ Staunton (Gas), Macoupin ¹⁹ Collinsville, Madison ²⁰ Brown, Langewisch-Kuester, Junction	Bethel; MisU Lindley (1st,2nd); MisU Carlyle; MisU Devonian; Dev Carlyle; MisU Carlyle; MisU Cypress; MisU Hoing; Dev Unnamed; Pen Unnamed; Pen Unnamed; Pen Unnamed; Pen Unnamed; Pen Unnamed; Pen Unnamed; Pen Unnamed; Pen	1922 1910 1936 1911 1918 1917 1914 1909 1923 1915 1915 1916 1909	103,230 0 0 589 350 2300 915 300 449 2,470 80 0 45 5 0 0	465,025 0 0 1,871 1,068 803 3,640 x x 3,509 0 0 x 0	4,899 0 0 83 30 53 32 0 0 94 250 0 1,000 0	160 0 0 0 0 0 0 0 0 0 0 0 80 80 400	291 6 990 0 0 0 0 0 0 0 0 0 0 135.8 14 4 1,050.0	9.1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114	City, Marion. Sandoval; Marion. Wamae, Marion-Clinton-Washington. Litchfield, Montgomery ²¹ Waterloo, Monroe ²² Jacksonville (Gas), Morgan ²³ Pittsfield (Gas), Pike ²⁴ Sparta, Randolph ²⁵ Dupo, N. Clair. Total of fields discovered prior to Jan.1, 1937 ²⁶ Ab Lake, Gallatin.	Dykstra-Wilson; Pen Cypress; MisU Bethel; MisU Devonian; Dev Petro; Pen Unnamed; Pen "Trenton"; Ord Gns; Pen, MisL "Niagaran"; Sil Cypress; MisU "Trenton"; Ord Renault; MisU Aux Vases; MisU ²⁷	1910 1909 1921 1879 1920 1910 1886 1888 1928	175 60 115 480 480 460 390 390 100 250 1,320 0 165 2,300 113,120,40 40 40	x x x x 5,457 2,705 2,752 629 244 235 22 0 0 x 2,388 482,781 13 x x 5,574	x x x 611 0 611 11 0.1 1 0 0 0 0 148 5,330 6 x x	0 0 0 0 0 0 0 0 0 0 0 8,960 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000
114 115 116 117 118 119 120	Auen Consonairea, патасок- п аукс	Aux Vases; MisU Lower Ohara; MisL ²⁸ Rosiclare; MisL ²⁸ McClosky; MisL Salem; MisL	1000	2,060 820 220 200 1,700 20		x x x x x	0 0 0 0	0 0 0 0 0	0 0 0 0

Table 1 — Continued

		mber of 'ells "			Wells roducing Dec. 194		Reso Press Ps	sure,		Char Oi		1	Produ	icing For	mati	on	Deepest 1 Tested* End of 1	to
	6	19	48	(Oil ³			18	ecovery /	.I.2	· Cent		r Centi		hickness		Name	le, Ft.
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.	Sulphur, Per Cent	Character i	Porosity, Per Centi	Depth to Top of Producing Zone, Ft.k	Productive Thickness Avg. Ft. ' Net	Structure"		Depth of Hole,
61 62	964	0 1	x x	0	x x	0	x coo	x		<i>x</i>	x	L	P	1,860	10	A		
63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	55 4,535 682 1 6+ x 521 3 17 10 45 42 3 0 1 10+ 55 10+ 10+ 10+ 10+ 10+ 10+ 10+ 10+ 10+ 10+	0 9 21 0 3 0 11 0 2 0 2 2 0 0 0 1 0 0 0	4 146 42 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	26 2,374 340 x x x x x x x x x x x x x x x x x x x	0 x x 0 x x x x x x x 0 0 0 0 0 0 0 0 0	600 x x x x x x x x x x x x x		P P	32.3 x x x 35.1 x x x x x	x x x x x x x x x x x x x x x x x x x	a aaaaaaaaaaaaaaa	P P P P P P P P P P P P	1,845 400 1,070 1,290 1,425 1,490 1,540 1,690 1,920 2,010 2,283 2,300 2,300 2,300	x 12 15 20 10 15 20 10 10 10 10 10 10 10 10 10 10 10 10 10	AM AM AM AM AM AM AM AM AM AM AM AM AM	Mis St. Peter MisL	1,990 5,190 2,571
80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95	19,466 21 4 76 51 25 165 12 35 491 8 4 23 7 18 6	51 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	454 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10,042 0 49 29 20 26 0 0 221 1 0 0 0	0	355 x x x x x x 135 155 x x 145 x		G	36 2 41.5 35 2 31.9 x 37.6 27.7 30 2	0.29 0.27 0.26 x x 0.38 x	בממממממממם ממ	P P P P P P P P P P P P P P P P P P P	949 925 985 2,420 1,035 950 780 380 540 650 335 430 1,305	5 x 24 12 20 7 18 21 x x x x x 20 20 20 20 20 20 20 20 20 20 20 20 20	A A D D D A A A AL ⁷³ A A T D D A A A ML	Trenton Dev St. Peter St. Peter Sil Dev Trenton Mis Pen Trenton Pen Trenton St. Peter	3,044 3,290 4,212 4,120 2,444 2,530 895 1,380 575 2,595 2,371 2,177
96 97 98 99 100 101 102 103 104 105 106 107 108	14 7 7 151 123 28 106 18 41 53 68 20 311	0 0 0 0 0 0 0 0 0 0 0 0 0 7	0 0 0 0 0 0 7 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	7 x x 155 00 155 1 6 0 0 0 98		x x x x x x x x x x x x x x x x x x x			32.0 32.0 34.5 38.0 30.2 23.0 30.2 x 32.7	$x \\ x \\ 0.38 \\ x \\ 0.42 \\ 0.97 \\ x \\ 0.70$	SS SLSSLSLSL	P P C P P C P P P C	610 1,663 1,540 2,924 72) 639 41) 330 265 850 700	20 15 20 9 20 x 50 5 10 7 50	D D D D A ML A D A	Dev St. Peter MisL Pen Trenton Trenton Pre-Cam MisU Ord	3,344 5,023 1,760 774 845 1,330 2,226 985 1,800
109 110 111 112	21,118 2 2 0	59 1 1 0	466 0 0 0	0 0 0	10,472 2 1 0	3 0 0 0	x x	x x		35 1 36.6	x x	LS	P P	2,735 2,770	8	MF MF	MisL	2,941
113 114 115 116 117 118 119 120	0 91 5 0 0 75 0	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	1 78 19 0 26 1 32	0	x x x x x	x x x x	w	x x x 40.0	x x x x	S OL OL OL L	P P P P	3,175 3,235 3,300 3,35) 3,735	12 6 12 8 16	A AC'4 AC A A	Dev	5,395

TABLE 1 — Continued

Ì		Producing Formation		Oil	Production	1	Gas P	roductio	n
1			1		Thousands	of Bbl		Millio Cu Fr	
Line Number	Field, County°	Name and Ageb	Year of Discovery	Area Proved, Arrox	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
21 22 23 24	Aden South, Hamilton	Aux Vases; MisU Rosiclare; MisL ²⁶ McClosky; MisL	1945	60 20 20 40	23 x x	7 1 1	0 0 0	0 0 0 0	0 0 0 0
5 6 7 8 9	Akin, Franklin	Cypress; MisU Aux Vases; MisU McClosky; MisL ²⁸	1942	200 120 80 40	331 x x x	20 x x x	0 0 0 0	0 0 0 0	0 0 0 0
0 1 2 3 4	Akin West, Franklin	Lower Ohara; MisL ²⁷ Rosiclare; MisL ²⁷ McClosky; MisL ²⁷	1948	20 20 20 20 20	2 x x	2 x x	0 0 0 0	0 0 0 0	0 0 0 0
56789012345678901	Albion Consolidated, Edwards	Mansfield; Pen Bridgeport; Pen Biehl; Pen Degonia; MisU ²⁷ Waltersburg; MisU Tar Springs; MisU ³⁷ Hardinsburg, MisU Cypress; MisU Bethel; MisU Renault; MisU Renault; MisU Lower Ohara; MisL Aus Vases; MisU Lower Obara; MisL MeClosky; MisL	1940	2,900 40 360 700 10 460 10 50 20 100 150 350 10 900	6,940 x x x x x x x x x x x x x x x x x x x	590 x x x x x x x x x x x x x x x x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Albion East, $Edwards$.	Cypress; MisU Paint Creek; MisU ²⁸ Bethel; MisU Renault; MisU Aux Vases; MisU Lower Ohara; MisL ²⁷ AcClosky; MisL	1943	450 80 10 20 40 100 30 10 160	526 x x x x x x x x x	80 x x x x x x x x	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
	Alma, Marion Amity, Richland Assumption, Christian Assumption North, Christian	Bethel; MisU Rosiclare; MisL McClosky; MisL Devonian; Dev Bethel; MisU Rosiclare; MisL Devonian; Dev	1941 1942 1948 1948	60 30 40 80 40 80 40 20	64 x x 12 1 7 x	3 x 3 1 7 x 5	0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
	Barnhill, Wayne	Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL Salem; MisL	1939	1,070 30 30 30 30 1,010 50	2,121 x x x x x	5 93 x x x x	0 0 0 0 0	0 0 0 0	0 0 0 0 0 0
7 8 9	Bartelso South, Clinton Bartelso West, Clinton Beaver Creek, Bond.	Devonian; Dev Cypress; MisU Bethel; MisU	1942 1945 1942	80 120 140	18 5 83	1 2 13	0 0	0 0 0	0 0

Table 1 — Continued

-		mber of ells e			Wells roducing Dec. 194		Pre	ervoir ssure, sil		(acter of il ^h		Prod	ucing Fo	rmati	ion	Deepest Tested End of	n to
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gass	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Centi	Depth to Top of Producing Zone, Ft.	Productive Thickness Avg. Ft. t Net	Structure"	Name	Depth of Hole, Ft.
121 122 123 124	3 0 0	0 0 0 0	0 0 0 0	0 0 0 0	3 1 0 1	0 0 0 0	x x x	x x x x		x x x	x x x	S L L	P P P	3,245 3,335 3,385	7 12 6	AC AC MC	MisL	3,44
125 126 127 128 129	1 2 7 3 3 0	0 0 0 0	0 0 0 0	0 0 0 0 0	1 6 2 4 0	0 0 0 0	x x x	x x x		33.4 37.8 x	0.14 0.12 x	S S L	P P P	2,835 3,120 3,270	9 9 9	ML ML ML	MisL	3,51
130 131 132 133 134	1 0 0 0	0 1 0 0	0 0 0 0	0 0 0 0	0 1 0 0	0 0 0 0 0	x x x x	x x x		x x x	x x x	L L L	P P P	3,050 3,080 3,130	10 12 4	x x x	MisL	3,43
135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151	1 220 3 16 48 0 25 0 3 0 3 0 21 2 2 2 70 27	1 6 0 1 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0	0 3 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2000 2 2 111 466 0 221 0 2 2 2 5 0 19 3 0 0 488 411	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	500 255 600 x x x x x x x x x x x x x x x x x x	200 275 13 x 300 x x x x x 175 x 90	W	35.4 35.4 36.0 x 34.8 x 36 36 35.2 x 36.0 40.0 x 36.0	x x x x x x x x x x x x x x x x x x x	sssssssssssstatt.	P P P P P P P P P P P P P P P P P P P	1,650 1,860 1,995 2,125 2,365 2,450 2,635 2,960 3,000 3,045 3,110 3,130 3,140	5 15 17 9 16 8 10 x 14 13 18 5 10 12	MF MF MF AL AL A Af Af Af AC AC	Dev	5,18
152 153 154 155 156 157 158 159 160	23 5 0 1 2 3 3 0 4	4 0 0 0 2 0 0 0 0 2	1 0 0 0 0 1 0 0	0 0 0 0 0 0 0 0 0 0	22 5 0 1 2 4 3 0 4	0 0 0 0 0 0 0	x x x x x x x x x x x	x x x x x x x		x x x x x 39.4 x x x x	x x x x x x 0.14 x x x x x	SSSLSLLL	P P P P P	2,800 2,910 2,920 2,925 3,020 3,100 3,125 3,155	7 6 6 10 17 7 7	A A A A A A A	MisL	3,2
61 62 63 64 65	5 4 2 2 4	0 0 0 0	0 0 0 0	0 0 0 0	3 2 1 1 3	0 0 0 0 0	x x x	x x x		36.2 x	0.26	s S OL	P P P	1,945 2,085 2,960	8 10 5	A A MC	Dev MisL	3,69
66 67 68	1 4 2	2 1 4 2 1	0 0 0	0 1 0 1	1 3 2	0 0 0	x	x x		40.0	x x	L S	P P P	2,325	10 15 12	A	Ord Dev	3,0
69 70 71 72 73 74 75	1 76 3 1 1 68 0	1 5 2 1 1 1 0	0 0 1 0 0 0 1	0 0 0 0 0 0	0 1 33 3 1 1 27 0	0 0 0 0 0 0 0				38.0 40.0 x x x 37.6 x	x x x x x 0.17	S OL LS OL L	P P P P P	1,165 2,280 3,325 3,370 3,400 3,450 3,795	12 10 15 6 9 10 8	A AL AC AC A AC	MisL	3,8
177 178 179 180	0 3 2 7 9	0 0 0	0 0 0 1	0 0 0 0	1 2 3 7	0 0 0 0	x x x	x x x		40.0 x 34.2	0.15 x 0.25	LSS	P P P	2,470 930 1,120	10 10 8	A A A	Dev Dev Dev	2,68 2,52 2,53

Table 1 — Continued

		Producing Formation		Oil	Production		Gas P	roductio	n
					Γhousands	of Bbl		Millio Cu Fi	
Field,	$Caunty^a$	Name and Age ^b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
Beaver Creek South Belle Prairie, Hami	lton	Bethel; MisU Aux Vases; MisU ²⁷ McClosky; MisL	1946 1940	80 210 10 210	7 356 x x	5 75 x x	0 0 0	0 0 0 0	(
Belle Rive, Jefferso Beman, Lawrence		McClosky; MisL Aux Vases; MisU St. Genevieve; MisL	1943 1942	200 350 10 350	230 152 x x	17 38 x x	0 0 0	0 0 0	(
Beman East, Lawre	ence	Aux Vases; MisU Rosiclare; MisL McClosky; MisL	1947	80 20 60 40	70 x x x	23 x x x	0 0 0	0 0 0 0	(
Bend, White Bennington, Edwar Bennington South, Benton, Franklin Benton North, Fra	Edwards ²⁹	Waltersburg; MisU Aux Vases; MisU Ste. Genevieve; MisL McClosky; MisL Pennsylvania; Pen Tar Springs; MisU Cypress; MisU Paint Creek; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosielare; MisL McClosky; MisL	1941 1943 1944 1941 1941	10 800 40 800 20 2,300 10 2,300 220 10 70 30 40 80 20 40	23 1,170 x x 10 19,742 x 458 x x x x x x x	1 74 x 0 653 x 41 x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Berryville, Waba h Bessie. Franklin . Bible Grove Consoli	${ m dated}$, ${\it Clay-Effingham}^{30}$	Ste. Genevieve; MisL Lower Ohara; MisL Cypress; MisU Bethel; MisU Aux Vases; MisU Ste. Genevieve; MisL	1947 1943 1942	200 40 4,930 3,070 60 130 1,750	243,000 36 8,758 x x x	154 1,281 x x x x	0 0 0 0 0	0 0 0 0 0	
Bible Grove North	, Effingham	Cypress; MisU Rosiclare; MisL McClosky; MisL	1947	120 40 20 60	· 34 x 1 x	12 x 1 x	0 0 0 0	0 0 0 0	
Bible Grove South Blairsville, Hamilte	, Clay	Cypress; MisU Aux Vases; MisU Aux Vases; MisU Lower Ohara; MisL Rosielare; MisL ²⁸ McClosky; MisL	1942	20 10 10 620 500 40 10 210	57 x x 1,591 x x x x	6 x x 94 x x x	0 0 0 0 0 0	0 0 0 0 0 0	
Bogota, Jasper Bogota South, Jas Bone Gap, Edward	per	McClosky; MisL McClosky; MisL Rosiclare; MisL ²⁸ McClosky; MisL	1943 1944 1941 1947	200 20 660 10 660 100	377 16 873 <i>x</i> 148	20 3 64 x 71	0 0 0 0 0	0 0 0 0 0	

Table 1 — Continued

1		umber of Tells			Wells roducing Dec. 194		Pres	rvoir sure, si ¹			racter of il ^h		Prod	ucing Fo		ion	Deepest ! Tested ⁿ End of 1	to
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery!	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Cent;	Depth to Top of Producing Zone, Ft.*	Productive Thickness Avg. Ft. ^t Net	Structure	Name	Depth of Hole, Ft.
181 182 183 184	7 11 0 10	2 5 0 4	2 0 0 0	0 0 0 0	5 10 0 9	0 0 0 0	x x x	x x x		37.0 38 0	x 0 12	s s L	P P P	1,140 3,250 3,420	5 8 6	A A A	MisL MisL	1,395 3,580
185 186 187 188 189	1 5 21 1 18	1 0 0 0 0	0 0 1 0 1	0 0 0 0 0	1 4 17 0 15	0 0 0 0 0	x x x	x x x		39.4 x	0 50 x x	L S L	P P P	3,085 1,805 1,850	6 20 7	AC AL A	MisL MisL	3,201 2,000
190 191 192 193 194	2 5 1 2 1	0 0 0 0 0	0 0 0 0	0 0 0 0 0	2 3 1 1 1	0 0 0 0 0	x x x	x x x		x x x	x x x	S L L	P P P	1,805 1,860 1,880	12 8 4	AL AC AC	MisL	1,907
195 196 197 198 199	1 1 39 4 35	0 0 1 1 0	0 0 1 0 1	0 0 0 0	0 1 34 2 32	0 0 0 0	x x x	x x x		x x x	x x x	s s L	P P P	2,350 3,140 3,240	14 20 8	x ML MC	MisL MisL	3,135 3,372
200 201 202 203	$\begin{array}{c} 1 \\ 243 \\ 0 \\ 243 \end{array}$	0 0 0 0	0 0 0 0	0 0 0 0	$0 \\ 234 \\ 1 \\ 233$	0 0 0 0	x x x	x x x		x 38.0	x x x	S S	P P P	3,240 3,240 1,700 1,740	8 9 10	MC A A	MisL MisL	3,419 3,205
204 205 206 207 208 209 210 211	17 1 6 1 2 2 2 2	1 0 1 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0	12 0 6 1 0 1 0	0 0 0 0 0 0	x x x x x x	x x x x x x		38.4 37.0 37.4 38.4 x	x x 0.15 0.15 0.70 0.15 x	S S S L S L	P P P P P	2,440 2,595 2,600 2,685 2,745 2,800 2,850	18 9 20 10 10 8 5	A A AL AC AL AC	MisL	2,963
212 213 214 215	3 10 1 293	$\begin{array}{c} 0 \\ 4 \\ 0 \\ 29 \end{array}$	0 0 0 9	0 0 0 0	$\begin{array}{c} 3 \\ 10 \\ 1 \\ 274 \end{array}$	0 0 0 0	x x	x x		36.0 38.8	0.15	L L	P P	2,900 2,895	6 10	$_{x}^{\mathrm{MC}}$	MisL MisL MisL	3,013 3,459 3,066
216 217 218 219 220	193 5 10 76 9	8 3 6 11	3 0 0 6 0	0 0 0 0	186 4 9 66 9	0 0 0 0 0	x x x x	x x x		38.0 x x 40.0	0.13 x 0.17	S S OL	P P P	2,490 2,680 2,795 2,830	10 18 15 8	A A A A		
221 222 223 224	6 2 1 2 1	0 0 0 0	0 0 0 0	0 0 0	6 1 1	0 0 0 0	x x x	x x x		x x x	x x x	S SL L	P P P	2,535 2,835 2,875	7 5 5	M M M	MisL	2,999
225 226 227 228	2 1 1	0 0 0 0	0 0 0 0	0 0 0 0	2 2 2 1 1	0 0 0	<i>x x</i>	x x		x x	<i>x x</i>	S	P P	2,500 2,750	10 10	x x	MisL	2,929
229 230 231 232 233	30 20 1 0 6	0 0 0 0	0 0 0 0	0 0 0 0	28 18 1 0 5	0 0 0 0	x x x x	x x x x	W	38.1 x x 38.6	x x x 0 13	S L S L	P P P	3,280 3,335 3,365 3,425	20 8 7 8	AL AC AC AC	MisL	3,530
234 235 236 237	3 7 1 20	0 0 0 1	0 0 0 1	0 0 0 0	4 7 1 11	0 0 0	<i>x x</i>	<i>x x</i>		35.0 36 4	x x	L L	P P	3,110 3,055	7 10	A ML	MisL MisL MisL	3,235 3,185 3,350
238 239 240	0 20 9	0 1 3	0 1 1	0 0 0	0 11 8	0 0	<i>x x</i>	<i>x x</i>		40.5	0.33	L L	PP	3,230	6	A A	MisL	3,191

Table 1 — Continued

		Producing Formation		Oil	Production		Gas Pr	oduction	n
				T	housands	of Bbl		M illio Cu Ft	
Line Number	Field, $County^a$	Name and ${\rm Age}^{b}$	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
241 242 243 244 245	Bonpas, Richland	Cypress; MisU Aux Vases; MisU McClosky; MisL McClosky; MisL	1941 1941	40 10 80 100 560	116 8 24 131	50 4 17 16	0 0 0 0 200	0 0 0	0 0 0 0
246 247	Boulder, Clinton	Bethel; MisU Devonian; Dev		420 290	3,328 x x	373 x x	200	x 0 x	0
248 249 250 251	Boyd, Jefferson	Bethel; MisU Aux Vases; MisU Lower Ohara; MisL ²⁷	1944	1,300 1,280 530 40	5,461 x x x	1,206 x x x	0 0 0	0 0 0 0	0 0 0 0
252 253 254 255 256 257 258 259	Browns, Edwards-Wabash	Tar Springs; MisU ²⁸ Cypress; MisU Bethel; MisU Lower Ohara; MisL Rosiclare; MisL ²⁸ McClosky; MisL	1943	790 10 320 30 40 10 600	1,021 x x x x x x	264 x x x x x x	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
260 261 262 263 264	Browns East, Wabash	Cypress; MisU Bethel; MisU Aux Vases; MisU ²⁷	1946 1943	580 50 40 10	657 15 <i>x</i>	371 4 x x	0 0 0	0 0 0 0	0 0 0 0
265 266 267 268 269	Bungay Consolidated, Hamilton.	Aux Vases; MisU ²⁷ Rosiclare; MisL McClosky; MisL	1941	1,020 1,000 10 60	2,838 x x x x	400 x x x	0 0 0 0	0 0 0 0	0 0 0 0
270 271 272 273 274 275 276	Burnt Prairie South, White	McClosky; MisL Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1947 1944	20 1,660 440 290 960	2,163 x x x x	169 x x x	0 0 0 0 0	0 0 0 0 0	0 0 0 0
276 277 278 279 280	Calhoun North, Richland	Rosiclare; MisL ²⁷ McClosky; MisL ²⁷	1944	40 20 40	31 x x	5 x x	0	0 0 0	0 0 0
281 282 283 284 285	Carlinville North, Macoupin	Pottsville; Pen McClosky; MisL Cypress; MisU ²⁷ Aux Vases; MisU	1941 1940 1942	80 30 30 10 30	0.8 6 123 x x	x 0 11 x x	0 0 0 0	0 0 0 0	0 0 0 0
286 287 288 289 290 291 292 293 294 295	Centerville, White	McClosky; MisL Tar Springs; MisU Cypress; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL ²⁷ McClosky; MisL	1940 1941	120 700 390 40 20 70 20 170	306 1,806 x x x x x x x	17 85 x x x x x x	0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0
296 297 298 299 300	Centerville North, White ⁵²	Bethel; MisU Cypress; MisU Bethel; MisU Devonian; Dev	1947 1937	10 3,000 x x x	0 32,273 x x 19,511	1,247 x 600	0 0 0 0	0 0 0 0	0 0 0 0

Table 1 — Continued

		imbet of Tells			Wells roducing Occ. 194		Pres	ervoir sure, sil	-	(acter of iI ^h		Prod	ucing Fo	rmati	ion	Deepest Tested End of	a to
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Centi	Depth to Top of Producing Zone, Ft.*	Productive Thickness Avg. Ft. ! Net	Structure"	Name	Depth of Hole, Ft.
241 242 243 244 245 246	4 1 4 5 36 25	0 0 3 1 0 0	0 0 1 0 2	0 0 0 0 1	1 3 4 29 23	0 0 0 0 0 0	x x x x x	x x x x		$\begin{bmatrix} x \\ x \\ x \\ 37 & 4 \\ 36 & 0 \end{bmatrix}$	x x x 0 34	S S L L	P P P	2,719 3,020 3,055 3,120 1,190	10 9 6 6 6	A A MC MC	MisL Dev	3.220 2,841
247 248 249 250 251	11 114 72 5 0	0 0 0 0 0	0 0 0 0 0	1 0 0 0 0	71 0 0	0 0 0 0 0 0	345 275 x	167 x x	W G W G	28 2 } 39.4 39.4 39.3	0.33 0.14 x x	S S L	C P P	2,630 2,050 2,130 2,230	5 18 15 2	A A A	Dev	3,870
252 253 254 255 256 257 258 259	37 47 0 8 1 2 0 27	5 0 0 0 0 0	1 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	41 41 0 7 1 1 0 21	0 0 0 0 0 0	1,050 x x x x	x 148 219 x x		34 7 34 7 x x 35.0	0.18 x x x x	S S L L L	P P P P	2,365 2,640 2,785 2,965 2,975 3,000	14 13 12 4 3 6	AL AL A A A A	MisL	3,113
260 261 262 263 264	9 46 4 3 0	0 10 0 0	0 0 0 0	0 0 0 0 0	11 43 2 1 0	0 0 0 0 0	1,035 x x	x x x	W	36.0 x x	x x x	s s	P P P	2,570 2,850 2,955	10 15 5	ML N N	MisL MisL	3,058 3,190
265 266 267 268 269 270	87 83 1 2	0 9 8 1 0	0 4 4 0 0	0 0 0 0	1 80 76 1 0 3	0 0 0 0 0	x x x	x x x		37.0 x 36.8	0 24 x 0 24	S L L	P P P	3,290 3,395 3,430	18 8 5	AL AC AC	MisL	3,565
271 272 273 274 275	1 88 25 2 46	0 0 0 0	$\begin{array}{c} 0 \\ 4 \\ 2 \\ 0 \\ 2 \end{array}$	0 0 0 0	1 81 22 2 42	0 0 0 0	x x x x	x x x x		36.0 x x 37.0	x x x 0.15	OL OL OL	P P P	3,140 3,160 3,180	6 9 6 9	х А А	MisL MisL	3,552 3,323
276 277 278 279 280	15 2 0 0 2	0 0 0 0	0 0 0 0	0 0 0 0	15 1 0 0	0 0 0 0 0	x x	$x \\ x$		x x	$x \\ x$	SOL	P P	3,155 3,170	10 11	A A	MisL	3,280
281 282 283 284 285	5 2 3 0 3	0 0 0 0	0 0 0 0	0 0 0 0	0 0 3 0 2	0 0 0 0 0	x x x	x x x		20.3 x 38.0 37.0	0.35 x 0.11	S OL S	P P P	440 3,150 2,930 3,220	10 6 10 14	$\frac{x}{\text{MCf}}$ Af	Pen MisL MisL	562 3,236 3,418
286 287 288 289 290	0 5 47 26 3	0 0 1 1 0	0 1 2 0 1	0 0 0 0	1 4 41 26 1	0 0 0 0	x x x	x x x x		36.8 37.2 36.0	0.17 0.20	OL S	P P P	3,370 2,460 2,915	6 24 6	AC ALf	MisL MisL	3,650 3,368
291 292 293 294 295	2 5 0 10	0 0 0 0	0 0 0 1	0 0 0	1 5 0 5 3	0 0 0 0	x x x x	x x x x		36.0 36.0 36.0 40.0	x x x x	S OL OL	P P P	2,990 3,075 3,175 3,230	20 21 5 7	AL AL AC AC		
296 297 298 299 300	1 949 48 565 319	0 16 2 0 0	1 20 5 10 3	0 0 0 0 0	0 483 79 252 107	0 0 0 0	x x x x	x x x x		36.4 37.7 37.4	x 0.20 0.17 0.38	S S L	P P P C	2,990 1,200 1,355 2,870	13 12 20 9	ML A A A	MisL Ord	3,303 4,170

Table 1 — Continued

		Producing Formation		Oil	Production	1	Gas Pr	oductio	n
					Thousands	of Bbl	Ī	Millio Cu Ft	
Line Number	Field, $County^a$	Name and ${ m Age}^b$	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
301		Trenton ; Ord		x	219	180	0	0	0
302 303 304 305 306 307 308	Centralia West, Clinton Cisne North, Wayne Clarksburg, Shelby Clay City-Noble Consolidated, Clay-	Bethel; MisU Aux Vases; MisU McClosky; MisL Bethel; MisU	1940 1942 1946	90 110 10 100 20	330 21,000 2 19 6	19 7 2 5 2	0 0 0 0 0	0 0 0 0	0 0 0 0
309 310 311 312 313 314	Clay City-Noble Consolidated, Clay- Wayne-Richland-Jasper ³³	Cypress; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1937	51,000 3,900 20 5,600 2,200 3,400 40,000	117,674 x x x x x	8,641 x x x x x x	40 40 0 0 0 0	x x 0 0 0 0 0	x 0 0 0 0 0
315 316 317 318 319 320	Clay City North, Clay.	Cypress; MisU Rosiclare; MisL McClosky; MisL	1948	300 20 120 180	261 x x x	261 x x x	0 0 0	0 0 0 0	0 0 0 0
321 322 323 324	Clay City West, Clay Coil, Wayne	Cypress; MisU McClosky; MisL	1941 1942	460 10 450 460 ₁	1,164 19 -1,145 1,106	35 3 32 56	0 0 0	0 0 0	0 0 0
325 326 327	Coil West, Jefferson	Aux Vases; MisU McClosky; MisL	1942	440 20 340	1,105 1,105 1 403	56 0 38	0	0 0	0 0 0
328 329 330 331		Aux Vases; MisU Lower Ohara; MisL McClosky; MisL		70 80 210	x x x	x x x	0 0	0 0	0 0 0
332 333 334 335 336 337 338	Concord, White	Tar Springs; MisU Cypress; MisU Aux Vases; MisU Lower Ohara; MisL McClosky; MisL	1942	1,150 210 290 370 50 800	2,848 x x x x x	491 x x x x x x	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
339 340 341 342 343	Concord Central, White	Cypress; MisU ²⁷ Aux Vases; MisU McClosky; MisL	1947	60 10 40 40	96 x x x	35 x x x	0 0 0	0 0 0 0	0 0 0 0
344 345 346	Concord East, White	Lower Ohara; MisL Aux Vases; MisU	1942 1946	40 60 60	11 96 x	1 16 x	0 0	0 0 0	0 0 0
347 348 349 350 351 352 353 354 355 356	Concord South, White Cooks Mills, Coles ⁵⁴ Cooks Mills North, Coles Cordes, Washington. Cottonwood, Gallatin. Covington South, Wayne Craig, Perry Crayat, Jefferson. Crossville, White	McClosky; MisL Tar Springs; MisU Aux Vases; MisU Rosiclare; MisL Bethel; MisU Tar Springs; MisU McClosky; MisL "Trenton"; Ord Bethel; MisU	1944 1941 1946 1939 1947 1943 1948 1939 1946	20 30 20 20 1,440 20 320 20 120 90	3,898 7 139 0.2 278 10	216 6 9 0.2 11 8	0 0 0 0 40 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
357 358 359 360	Dahlgren, Hamilton	Bethel; MisU Lower Ohara; MisL McClosky; MisL McClosky, MisL	1941	10 20 60 610	x x 3 1,035	x .3 41	0 0 0	0 0 0 0	0 0 0 0

Table 1 — Continued

		mber of ells			Wells roducing Dec. 194		Reser Press Ps	sure,			acter of il ^h		Prod	ucing Fo	rmati	on	Deepest : Tested ⁿ End of !	to
		19	48	(Oil³													
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I. ²	Sulphur, Per Cent	Character i	Porosity, Per Cent;	Depth to Top of Producing Zone, Ft.	Productive Thickness Avg. Ft. 1 Net	Structure"	Name	Depth of Hole, Ft.
301 302	17 0	14 0	0 2 2	0	20 25	0	1,630	x		40.5	x	L	С	3,930	40	A		
303 304	9	0 4	0	0 2 0	6 3	0	x	x		37.8	0.17	S	P	1,440	9	N	MisU MisL	1,531 3,290
305 306 307	1 5 2	1 3 0	0 0	0 2 0	1 2 1	0 0 0	x x x	x x x		38.0 37.0 33.5	x x x	S L S	P P P	3,050 3,170 1,770	11 10 6	ML MC A	MisL	2,012
308 309 310 311 312 313 314 315	2,713 217 0 425 60 123 1,780 108	229 20 0 108 9 14 60 18	73 6 0 5 2 5 50 5	1 0 0 0 0 0 1	2,238 240 3 412 47 97 1,237 202	1 1 0 0 0 0 0 0	x x x x x	x x x x x x	w	38.0 x 39.0 38.0 38.0 40.0	x x x x x	S S S L OL OL	P P P P	2,635 2,800 2,940 3,020 3,030 3,050	16 15 15 5 8 10	A AL AC AC AC	St. Peter	7,205
316 317 318 319	15 2 5 7	15 2 5 7	1 0 1 0 0	0 0 0 0 0	14 2 3 9	0 0 0 0	x x x	x x x		x x x	x x x	S L L	P P P	2,650 3,010 3,020	6 5 10	A AC AC	MisL	3,135
320 321 322 323	17 1 16	0 0	0 0	0 0	17 1 16	0 0	x x	x		x 39.4	0 12	S	P P	2,700 3,065	10 15	A A	MisL	3,218
324 325	17 16	0	0	0	16 16	0	x	\boldsymbol{x}		33.8	0 13	S	Р	2,920	15	A	MisL	3,250
326 327 328 329	1 15 4 1	0 1 0 0	0 0 0 0	0 0 0 0	0 12 5 2	0 0 0 0	x x x x	x x x		35.0 x x	0.17 x x	OL S L	P P P	2,970 2,720 2,790	5 15 7	AC AL AC	MisL	3,022
330 331 332 333 334 335 336 337	6 4 99 15 9 17 1 44	1 0 0 0 0 0 0	0 0 2 0 0 0 0 0	0 0 0 0 0 0	2 2 3 95 14 8 13 1 40	0 0 0 0 0 0 0	x x x x x x x x x x x x x x x x x x x	x x x x x		36.0 x 36.0 x 37.0	x x x x 0.15 x x	S S OL OL	P P P P	2,880 2,270 2,625 2,905 2,930 2,990	8	AL AL AL AC AC	Mis1,	3,:115
338 339 340 341 342	13 5 0 3 1	0 0 0 0	0 0 0 0	0 0 0 0	19 5 0 3 1	0 0 0 0 0	x x x	$x \\ x \\ x \\ x$		x x x	x x x	S S L	P P P	2,610 2,900 2,970	13 15 7	AL AL AC	MisL	3,056
343 344 345	1 1 4	0 0 0	0 0	0 0 0	1 1 4	0 0	x	x		x	x	L	Р	2,895	8	MC	MisL MisL	3,030 3,138
346 347 348 349 350 351 352 353 354 355 356 357	4 0 3 2 1 1422 3 8 1 111 5	0 0 0 0 0 0 0 0 1 0 4 1	0 0 0 0 0 0 0 0 1 0 0	0 0 0 0 0 0 0 0 0 0	3 1 0 0 128 2 6 1 9 4	0 0 0 0 0 0 0 0 0	x 1900 x x x x x x x x x x x			38.0 36.4 36.5 39.4 35.0 35.4	x x x x x 0.19 x 0.18 x 0.23 x	alassasils s	P P P P P P P P P P P	2,950 3,035 2,300 1,820 1,780 1,260 2,315 3,310 3,650 2,070 2,880	6 5 20 10	A A A A A A MF AC x A	MisL Dev MisL Dev MisL MisL Ord MisL MisL	3,115 3,220 1,843 2,887 3,151 3,397 3,735 2,352 3,250
358 359 360	1 3 42	1 2 1	1 0 0	0 0 0	0 3 7	0 0 0		$\begin{array}{c} x \\ x \\ x \end{array}$		39.2	0.16	L L L	P P P	3,100 3,120 3,300	3 5 11	N N N A	MisL	3,493

Table 1 — Continued

	Producing Formation		Oil	Production	11	Gas P	roductio	or
			1	Thousands	of Bbl		Millie Cu F	
Field, <i>County</i> ∘	Name and Age ^b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	
Dale-Hoodville Consolidated, Hamilton	Tar Springs; MisU Cypress; MisU Paint Creek; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1940	5,300 450 530 100 1,410 3,970 300 30 110	25,431 x x x x x x x x	1,332 x x x x x x x	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
Divide, Jefferson	McClosky; MisL Aux Vases; MisU Rosiclare; MisL McClosky; MisL	1943 1947	300 280 60 30 200	339 154 x x x	18 153 x x x	0 0 0 0	0 0 0 0	
Divide South, Jefferson Divide West, Jefferson	McClosky; MisL Lower Ohara; MisL ²⁸ Rosielare; MisL ²⁷ McClosky; MisL	1948 1944	100 1,020 100 10 1,020	2,237 x x x	67 170 x x x	0 0 0 0 0	0 0 0 0	
Dix, Jefferson-Marion. Dix South, Jefferson ²⁵ Dubois, Washington	Bethel; MisU Aux Vases; MisU Rosiclare; MisL Bethel; MisU Cypress; MisU Bethel; MisU	1938 1941 1939	1,800 1,750 10 50 20 130 0	5,769 x x 13 169 x 169	406 x x x 0 10 0	0 0 0 0 0 320 320	0 0 0 0 0 0 0	
Dubois West, Washington	Cypress; MisU ²⁷ Bethel; MisU ²⁷	1942	130 10 10 10	10 x x	1 x x	0 0 0	0	
Dundas East, Richland-Jasper	Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1942	900 140 20 80	975 x x x	184 x x x	0 0 0	0 0 0	
Eberle, Effingham	Cypress; MisU McClosky; MisL	1947 1941	70 10 60 40	43 x x 12	11 x x 1	0	0 0 0	
Elk Prairie, Jefferson ³⁶ Elkville, Jackson Ellery, Edwards-Wayne	Tar Springs; MisU Aux Vases; MisU McClosky; MisL McClosky; MisL Bethel; MisU Aux Vases; MisU ²⁷	1938 1941 1941	20 20 30 10 10 40 10	$0.7 \\ 0.7 \\ 3 \\ 61 \\ x$	0 1 0 0 0 6 x	0 0 0 0 0	0 0 0 0 0	
Ellery North, Edwards ⁵⁷	McClosky; MisL Rosiclare; MisL McClosky; MisL	1942	30 10 20	3 0 3	0 0 0	0 0 0	0 0 0	
Ellery South, Edwards Elliottstown, Effingham Epworth, White	Aux Vases; MisU McClosky; MisL Rosiclare; MisL Clore; MisU	1943 1947 1941	90 10 80 20 130	116 x x 10 294	12 x x 3 18	0 0 0	0 0 0 0	

Table 1 — Continued

		imber of 'ells e		Pi	Wells roducing Dec. 1948	3	Pres	ervoir sure,			acter of		Prod	icing Fo	rmati	on	Deepest 2 Tested ⁿ End of 1	to
Line Number	Completed to End of 1948	Completed 19-	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I. ²	Sulphur, Per Cent	Character i	Porosity, Per Cent's	Depth to Top of Producing Zone, Ft.*	Productive Thickness Avg. Ft. 7 Net	Structure"	Name	Depth of Hole, Ft.
361 362 363 364 365 366 367 368 369	458 26 42 7 96 211 14 1 12	14 0 0 1 4 8 0 0	11 0 0 2 2 2 2 0 1	0 0 0 0 0 0	376 34 29 25 56 131 1 0	0 0 0 0 0 0 0		x x x x x x x x	G G G	$\begin{array}{c} x \\ 37.6 \\ x \\ 39.0 \\ 39.0 \\ x \\ 38.6 \\ 40.0 \end{array}$	0.25 x 0.19 0.15 x 0.19	S S S L LS L	P P P P P	2,430 2,680 2,900 2,950 3,020 3,050 3,060 3,075	25 20 17 18 19 6 10 5	A A A A AC AC AC AC	Dev	5,354
370 371 372 373 374 375	11 20 4 2 13	1 0 19 4 2 12	4 0 0 0 0 0	0 0 0 0 0 0	93 9 19 4 2 12	0 0 0 0 0	x x x x	x x x x		38.0 39.0 37.0	x x x x	L S L L	P P P	2,750 2,620 2,700 2,750	6 10 10 5	AC AC AC AC	MisL MisL	2,921 2,879
376 377 378 379 380 381	1 46 0 0 37	1 1 0 0 1	0 0 0 0 0	0 0 0 0 0	1 4 44 0 0 42	0 0 0 0 0	x x x x	x x x x		37 5 x x 36 8	x x x 0 21	L L LS L	P P P	2,880 2,680 2,700 2,750	5 10 6 6	x AC AC AC	MisL MisL	2,973 2,902
382 383 384 385 386 387 388	9 99 94 0 5 2 18	0 0 0 0 0	0 1 1 0 0 0	0 0 0 0 0	2 89 84 1 4 0	0 0 0 0 0 0	735 x x x	222 x x x		38 0 x x x	0 18 x x x	s s s	P P P	1,950 2,000 2,100 1,950	17 5 5 8	A A A N	Dev MisL MisL	2,283 1,682
389 390 391 392 393	8 10 1 0 0	3 0 0 0	0 0 0 0 0	0 0 0 0 0	6 0 6 1 0	0 0 0 0 0 0	x x x	x x x		31 5 x x	0 26 x x	s s	P P P	1,185 1,370 1,180 1,350	16 7 10 10	$\begin{array}{c} {\rm AL} \\ {\rm AL} \\ {\rm AL} \\ {\rm AL} \end{array}$	MisL	1,685
394 395 396 397 398 399	1 36 21 1 13 1	0 20 5 1 13	0 0 0 0 0	0 0 0 0 0 0	1 34 3 1 29 1	0 0 0 0 0	x x x	x x x	W	x x x	x x x	OL OL	P P P	2,905 2,920 2,950	10 8 10	A A A	MisL	3,132
400 401 402 403 404 405	5 1 4 2 0 1	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	5 1 4 1 0	0 0 0 0 0	x x x	x x x x x		x x x	x x x	S L S	P P P	2,475 2,820 2,205 2,865	10 7 17 15	N N A	MisL MisL	3,144
406 407 408 409 410	1 1 2 0	0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 2 0	0 0 0 0 0	x x x	x x x		34 2 x 35 8	0.14 x 0.22	L L S	P P P	2,945 2,735 2,000 3,240	5 7 10 20	$\begin{array}{c} \Lambda \\ x \\ x \end{array}$	MisL MisL MisL	2,958 2,387 3,365
411 412 413 414 415 416	2 0 2 1 1 5	0 0 1 1 0 0	0 0 0 0 0	0 0 0 0 0	1 1 0 0 0 0 4	0 0 0 0 0	x x x	x x x		x 37.6	x 0.19	L L L	P P P	3,345 3,320 3,420	10 10 7	A MC MC	MisL MisL	3,496
417 418 419 420	1 4 1 10	0 0 0	0 0 0	0 0 0 0	1 3 1 6	0 0 0	x x x x	x x x x		39.0 x 32.6	x x x x	S L S S	P P P	3,210 3,300 2,730 2,100	20 9 8 10	ML MC x A	MisL MisL	2,884 3,195

Table 1 — Continued

	Producing Formation		Oil	Production	n	Gas P	roductio	on
				Thousands	of Bbl		Millio Cu F	on t c
Field, County ^a	Name and Age^b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
Evers, Effingham Evers South, Effingham Ewing, Franklin	Tar Springs; MisU Cypress; MisU Aux Vases; MisU McClosky; MisL Rosiclare; MisL Aux Vases; MisU Lower Ohara; MisL ²⁷ McClosky; MisL	1946 1948 1948 1944	80 40 20 20 20 20 20 160 20 20 140	91 x x 5 1 2 249 x x x	39 x x 1 1 2 33 x x	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
Exchange, Marion Fairfield, Wayne Fairfield East, Wayne Fairman, Marion-Clinton Fitzgerrell, Jefferson	McClosky; MisL Aux Vases; MisU Aux Vases; MisU Bethel; MisU Bethel; MisU Aux Vases; MisU	1943 1942 1947 1939 1944	80 140 10 250 10 10	$ \begin{array}{c} 44 \\ 201 \\ 4 \\ 1,275 \\ 10 \\ x \\ x \end{array} $	5 178 3 39 2 x	0 0 0 0 0	0 0 0 0 0 0 0	
Flora, Clay	Bethel; MisU Aux Vases; MisU ²⁸ McClosky; MisL	1938	640 30 10 610	849 x x x	45 x x x	0 0 0	0 0 0	
Flora South, <i>Clay</i> Friendsville, <i>Wabash</i>	McClosky; MisL Bichl; Pen Palestine; MisU Bethel; MisU Lower Ohara; MisL McClosky; MisL	1946 1941	210 100 10 10 10 10 110 40	69 61 x x x x x	13 1 x x x x x	0 0 0 0 0 0	0 0 0 0 0	
Friendsville Central, Wabash Friendsville North, Wabash Friendsville South, Wabash	Bethel; MisU Biehl; Pen Biehl; Pen Biehl; Pen Palestine; MisU Cypres; MisU Paint Creek; MisU Lower Ohara; MisL McClosky; MisL	1946 1946 1942	30 160 450 140 100 310 30 20 80	16 60 737 x x x x x x x	5 37 89 x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	
Gays, Moultrie	Aux Vases; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL MeClosky; MisL	1946 1939	10 2,220 300 140 120 2,040	3,598 x x x x	318 x x x x	0 0 0 0 0	0 0 0 0 0	()
Goldengate North, Wayne Goldengate West, Wayne Gossett, White ³⁹ Grayville West, White	McClosky; MisL Aux Vases; MisU McClosky; MisL Biehl; Pen Cypress; MisU Bethel; MisU Aux Vases; MisU McClosky; MisL	1945 1948 1943 1941	40 10 40 290 120 40 70 60 40	24 3 .7 200 x x x x x	5 3 0 143 x x x	0 0 0 0 0 0	0 0 0 0 0 0 0 0	
Half Moon, Wayne	Rosiclare; MisL	1947	60 20	10	9 0	0	0	(

Table 1 — Continued

		imber of 'ells '			Wells roducin Dec. 194		Rese Press Ps	sure,		Char C	acter f lh	1	Prod	icing Fo	rmati	on	Deepest Z Tested ⁿ End of 1	to
		19-	48		Dil ³													
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Cent;	Depth to Top of Producing Zone, Ft.k	Productive Thickness Avg. Ft. Net	Structure"	Name	Depth of Hole, Ft.
421 422	6	0 0	0	0 0	6 3 2		x	x		x	x	S	P	2,360		MF	MisL	3,12
423 424 425 426	1 1 1 1	0 0 1 1	0 0 0 0	0 0 0 0	1 1 1	0 0	x x x x	x x x x		x x x x	x x x x	S S L S	P P P P	2,730 3,000 2,660 2,650	10 15 4 8	MF MF x x	MisL MisL	2,80
427 428 429 430	8 1 0 7	0 0 0	0 0 0	0 0 0 0	8 1 0 6	0 0	x x x	x x x		x x x	x x x	S L L	P P P	2,835 x 2,970	8 x 7	A A A	MisL	3,09
431 432 433 434 435 436	0 2 12 1 25 1	0 0 10 0 0	0 0 0 0 1	0 0 0 0 0	1 2 12 1 11 11	0	x x x x	x x x x		$\begin{array}{c} x\\40\ 0\\x\\37.0\end{array}$	$\begin{smallmatrix}x\\x\\x\\x\\0\ 27\end{smallmatrix}$	LSSS	P P P	2,730 3,200 3,180 1,435	8 20 12 10	$_{\substack{AL\\ML\\A}}^{MC}$	MisL MisL MisL "Trenton" MisL	2,865 3,415 3,805 4,106 3,015
437 438	1 0	0	0	0	0	0	x x	x x		x x	$x \\ x$	S	P P	2,760 x	5 x	$x \\ x$		
439 440 441 442	29 1 0 27	0 0 0 0	1 0 0 1	0 0 0 0	21 1 0 15	0	x x x	x x x	M.	37 4 x 37.0	x x 0 24	S S L	P P P	2,785 2,875 2,965	10 25 10	A A A	MisL	3,10
444 445	1 2 15	0 0 0	0 0 5	0 0	5 2	0 0	x	x		37.0	x	L	P	2,985	6	AC	MisL MisL	3,13 2,79
446 447 448 449 450	7 1 1 4 1	0 0 0 0	4 0 0 0 1	0 0 0 0	2 2 2 0 0 0	0	x x x x	x x x x x		31.0 27.3 x x x	0 22 0.25 x x x	S S L L	P P P P	1,760 1,770 2,360 2,635 2,650	10 12 11 4 6	A A AC AC	.711013	2,
451 452 453	1 3 11	0 0 0	0 0 0	0 0 0	0 3 8	0	x x	x x	w	x x	$x \\ x$	2.2	P P	2,330 1,615	15 12	MC MC	MisL MisL	2,63 2,59 2,71
454 455 456 457 458 459 460	30 4 3 11 2 1 2 7	0 0 0 0 0 0	1 0 0 0 0 0 0	0 0 0 0 0 0	23 4 2 7 0 0 1	0	x x x x x	x x x x x		31 0 27.3 35 2 36.7 x	0.22 0.25 0.17 0.18 x	S S S OL L	P P P P P	1,720 1,780 2,300 2,480 2,600 2,610	15 10 10 8 5 5	A A A A AC AC	MisL	2,71
461 462 463	1 112	0 5	0 1	0	0 88	0	x	x		x	x	S	P	1,935	5	ML	MisL MisL	2,01 3,53
464 465 466 467	20 7 8 63	3 1 0 1	1 0 0 0	0 0 0 0	17 5 5 45	0	x x x x	x x x x		40 0 x x 40.0	0.14 x x 0.19	OL SL OL	P P P	3,180 3,250 3,275 3,310	15 6 7 7	AL AC AC AC		
468 469 470 471 472	14 2 1 1 27	0 1 0 23	0 0 0 0	0 0 0 0	$egin{array}{c} 16 \\ 2 \\ 1 \\ 0 \\ 26 \\ \end{array}$	0 0	x x x	x x x		x x x	x x x	L S L	P P P	3,310 3,230 3,080	10 15 6	AC x MF	MisL MisL MisL MisL	3,46 3,48 3,08 3,31
473 474 475 476 477	11 4 6 3 2	11 2 6 3 0	0 0 0 0	0 0 0 0	11 4 6 3 1	0 0 0 0	x x x x	x x x x x		37.0 x x x	x x x x x	S S S L	P P P P	1,920 2,870 2,990 3,070 3,190	16 12 12 11 7	MF MF MF MF	MISH	3,01
478 479 480	1 3 1	1 1 0	0 1 1	0 0	$\begin{bmatrix} 1\\2\\0 \end{bmatrix}$	0 0	x	x		x	x	L	P	3,340	5	x	MisL	3,51

Table 1 — Continued

	Producing Formation		O	il Production	n	Gas P	roductio	on
				Thousands	of Bbl		Millie Cu F	
Field, County ^a	Name and Age ^b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
Helena, Lawrence Herald, White-Gallatin	McClosky; MisL Waltersburg; MisU Pennsylvanian; Pen Pennsylvanian; Pen Pennsylvanian; Pen Dego nia; MisU Waltersburg; MisU Tar Springs; MisU Cypress; MisU Pamt Creek; MisU ²⁷ Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1947 1940	40 40 1,700 10 80 40 110 30 140 800 40 40 40 130	2,207 x x x x x x x x x x x x x	9 4 497 x x x x x x x x x x x x x x x x x x x	0 0 160 0 40 80 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 x 0 0 x x 0 0 0 0 0 0 0 0 0 0 0 0 0	
Herald East, White-Gallatin Herald North, White Hidalgo, Jasper ¹⁰ Hidalgo North, Cumberland Hill, Effingham Hoffman, Clinton	Waltersburg; MisU Tar Springs; MisU Aux Vases; MisU Aux Vases; MisU McClosky; MisL Rosiclare; MisL McClosky; MisL Cypress; MisU Bethel; MisU	1947 1948 1940 1946 1943 1939	370 50 60 310 40 20 20 80 260 100	x 33 x 15 10 4 40 598 x	271 x 32 x 15 0 1 2 22 x x	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	
Hoodville East, Hamilton ⁴¹ . Huey, Clinton Hunt City, Jasper Hunt City South, Jasper Ina, Jefferson ⁴² Inclose, Edgar Ingraham, Clay ⁴³ Inman, Gallatin	McClosky; MisL Bethel; MisU Rosiclare; MisL McClosky; MisL St. Louis; MisL Pennsylvanian; Pen McClosky; MisL Pennsylvanian; Pen Palestine; MisU Waltersburg; MisU	1944 1945 1945 1947 1938 1941 1942 1940	20 30 20 40 20 60 110 10 40 20	.4 .6 .3 16 .5 3 112 x x	0 0 0 2 1 0 0 0 21 x x	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	
Inman East, <i>Gallatin</i>	Aux Vases; MisU Lower Ohara; MisL Pennsylvanian; Pen Degonia; MisU ²⁸ Clore; MisU ²⁷ Palestine; MisU Waltersburg; MisU Tar Springs; MisU Hardinsburg; MisU Gypress; MisU McClosky; MisL 9	1940	10 40 1,720 40 20 20 320 1,000 80 910 60	4,999 x x x x x	1,092 x x x x x x x x x x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	
Inman North, Gallatin	Waltersburg; MisU Tar Springs; MisU Hardinsburg; MisU Cypress; MisU Bethel; MisU Aux Vases; MisU	1941	390 20 140 30 210 10	x x x	124 x x x x x x x	0 0 0 0 0	0 0 0 0 0	

Table 1 — Continued

		umber of Vells ¢			Wells roducing Dec. 194		Pres	rvoir sure,		(racter of il ^h		Prod	ucing Format	ion	Deepest Tested End of	n to
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I. ²	Sulphur, Per Cent	Character	Porosity, Per Centi	Depth to Top of Producing Zone, Ft.* Productive Thickness Avg. Ft. ¹ Net	Structure"	Name	Depth of Hole, Ft.
481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496	2 4 138 1 8 4 1 1 3 11 62 0 7 25 3 2 7	1 0 8 0 1 1 1 0 2 0 1 0 0 0 0 0 0	0 0 6 0 1 0 0 1 0 1 0 2 1 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 122 0 6 6 3 1 1 2 10 60 0 5 21 2 1	0 0 0 0 0 0 0 0 0 0 0 0 0	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x		29.0 29.0 29.0 29.0 x x 37.2 36.0 x x 38.0 37.0 38.0	x x x x x x x 0 24 2 2 x x x x x x x x x x x x x x x x	LS SSSSSSSSLLL	P P P P P P P P P P P P P P	3,350 6 1,780 8 1,060 10 1,500 15 1,750 18 1,920 12 2,240 10 2,260 13 2,660 13 2,790 11 2,920 6 2,965 6 3,005 4 3,010 10	x x A A A A A A A A A A A A A A A A A A	MisL MisL	2,496 3,394
497 498 499 500 501 502 503 504 505 506 507 508 509	4 34 5 5 24 4 2 1 2 50 12 37	1 10 0 3 7 4 0 0 0 1 1 1	0 1 0 1 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	5 33 5 4 24 4 0 1 1 28 6 22 0	0 0 0 0 0 0 0 0 0 0 0	x x x x x x x	x x x x x x		37.0 x 38.6 36.6 x 39.0 x 33.2	$ \begin{array}{c} x \\ x \\ x \\ x \\ x \\ x \\ 0 20 \\ x \\ x \\ x \\ 0 21 \\ \end{array} $	SSSSLSL SS	P P P P P P	2,290 10 2,165 12 2,930 16 2,900 10 2,590 10 2,590 11 2,565 5 1,190 11 1,320 7	ML ML MF MC MC N	MisL Dev MisL MisL MisL Oev	3,082 4,140 2,776 2,710 2,914
510 511 512 513 514 515 516 517	1 3 1 1 2 3 3	0 0 0 0 0 0 0	0 1 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 1 1 1 0 0 0 5	0 0 0 0 0 0 0	x x x x x x	x x x x x x		36.8	$\begin{array}{c} x \\ x \\ x \\ x \\ 0.20 \\ x \\ 0.21 \end{array}$	L S L S L	P P P P P	3,365 3 1,260 6 2,540 10 2,435 15 3,000 4 340 8 3,100 7	MC MC MC AC AL MC	MisL Dev MisL MisL MisL Pen MisL MisL MisL	3,411 2,720 2,716 2,559 3,100 600 3,148 3,010
518 519 520 521 522 523 524 525	1 3 2 1 2 194 4 0	0 1 0 0 0 93 0	1 0 0 0 0 1 0	0 0 0 0 0 0 0	0 3 1 1 0 186 4 0	0 0 0 0 0 0 0	x x x x x	x x x x x	W	30.6 x x x x 30.0 x	x x x x x	88881 88	P P P P	925 8 1,750 13 1,995 5 2,745 13 2,735 10 780 10 1,690 10	AL AL AL AC Af Af	MisL	3,020
526 527 528 529 530 531 532	1 20 74 3 70 4	$\begin{array}{c} 0 \\ 0 \\ 3 \\ 28 \\ 3 \\ 52 \\ 1 \end{array}$	0 0 1 0 0 0	0 0 0 0 0 0	0 1 22 69 3 64 2	0 0 0 0 0 0	x x x x x x	x x x x x x	W	$\begin{array}{c} x \\ 36.0 \\ 38.0 \\ 36.0 \\ 36.0 \\ 34.0 \\ 35.0 \\ x \end{array}$	x x x 0.24 x 0.23 x	BESSESSE	P P P P P	1,725 8 1,840 13 1,980 18 2,080 13 2,135 10 2,390 14 2,800 8	Af Af ALf AF ALf ALf ALf		
533 534 535 536 537 538 539 540	17 33 0 8 3 15 0	6 5 0 0 0 4 0 0	0 1 0 0 0 0 0	0 0 0 0 0 0 0	21 28 2 7 3 13 1 0	0 0 0 0 0 0 0	x x x x x	x x x x x		37.0 x x	x x x x x x	ananan	P P P P P	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	ML ML ML ML ML ML	MisL	3,060

Table 1 — Continued

	Producing Formation		Oi	il Production	n	Gas P	roductio	011
				Thousands	of Bbl		Millio Cu F	
Field, County ^a	Name and Ageb	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
	McClosky; MisL		50	x	0	0	0	
Inman West, Gallatin	Palestine; MisU ²⁷ Tar Springs; MisU Cypress; MisU Lower Ohara; MisL ²⁸ McClosky; MisL ²⁸	1942	400 10 160 370 20 20	x x x	59 0 x x x x 0	0 0 0 0 0	0 0 0 0 0	
Iola Consolidated, Clay-Effingham ⁴⁴ .	Tar Springs; MisU Cypress; MisU Paint Creek; MisU ²⁷ Bethel; MisU Aux Vases; MisU Rosiclare; MisL McClosky; MisL	1939	2,400 10 510 40 770 1,350 180 460	x x x x x x	644 x x x x x x x x	0 0 0 0 0	0 0 0 0 0 0 0	
Iola South, Clay fola West, Clay ⁴⁵	Bethel; MisU McClosky; MisL McClosky; MisL	1947 1945	40 20 20 20 20	2 6 .5	4 2 2 0	0 0 0	0 0 0 0	
fron, White	Waltersburg; MisU ²⁸ Tar Springs; MisU Hardinsburg; MisU Cypress; MisU B th.el; MisU ²⁷ McClosky; MisL	1940	900 10 100 380 50 200 400	x x x x x	95 x x x x x x	0 0 0 0 0	0 0 0 0 0 0	
Irvington, Washington	Cypress; MisU Bethel; MisU Devonian; Dev	1940	990 30 960 160	4,477 x x x	243 x x 45	0 0 0 0	0 0 0 0	
Iuka; Marion	McClosky; MisL Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1947 1941	40 8,080 10 2,340 100 170 7,400	x x x x	18 1,161 x x x x x	0 0 0 0 0 0	0 0 0 0 0 0	
Johnsonville North, Wayne	Lower Ohara; MisL ²⁸ McClosky; MisL	1943	40 40 40	35 x x	2 x x	0 0 0	0 0 0	
Johnson ville South, Wayne	Aux Vases; MisU	1942	240 180		46 x	0	0	
Johnsonville West, Wayne ⁴⁷	McClosky; MisL Aux Vases; MisU McClosky; MisL	1942	80 200 80	113 77	91 70	0	0 0 0	
Junction, Gallatin	McClosky; MisL Pennsylvanian; Pen	1939	150 150 10		21 11 0	0 0 0	0 0 0	
Junction North, Gallatin	Waltersburg; MisU Pennsylvanian; Pen	1946	140 20 10	4 4	11 2 2	0 0	0 0	
Keensburg East, Wabash ⁴⁸	Aux Vases; MisU	1939	10 60	0 9	0	0	0	

Table 1 — Continued

		amber of Tells ¢		P	Wells roducing Dec. 194	g / 8	Pres	rvoir sure,			racter of il ^h		Prod	ucing Fo	ormati	ion	Deepest Tested End of	n to
		19	48	(Dil ³													
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Centi	Depth to Top of Producing Zone, Ft.k	Productive Thickness Avg. Ft. ! Net	Structure"	Name	Depth of Hole, Ft.
541 542	3 3	0	1 0	0	0 2	0 0	x	x		36.6	0.19	L	P	2,870	11	MC		
543 544 545 546 547 548	30 0 3 17 0 0	4 0 1 2 0 0	0 0 0 0 0	0 0 0 0 0	27 0 3 16 0	0 0 0 0 0	x x x x	x x x x x		38.0 x x	x x x x x	S S S L L	P P P P	1,915 2,185 2,500 2,830 2,880	13 12 6	ML ML MC MC	MisL	2,990
549 550 551 552 553 554 555 556 557	10 197 0 26 0 27 69 11	1 8 0 0 0 1 0 4 1	0 6 0 0 0 1 1 1	0 0 0 0 0 0 0	8 153 1 23 0 16 47 8 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	x x x x x x	x x x x x x	w w	35.3 x 36.0 35.4 x 37.6	x x x 0.14 0.25 x x	S S S S LS OL	P P P P P	1,890 2,125 2,255 2,290 2,325 2,400 2,425	9 15 9 12 10 7 10	A A A A A A	MisL	2,597
558 559 560 561 562	50 2 1 1 1	1 1 0 0	2 0 0 0 0	0 0 0 0	52 2 1 1 0	0 0 0 0	x x x	x x x		x x x	x x x	S L L	P P P	2,425 2,580 2,495	10 2 11	AC AC MC	MisL MisL	2,703
563 564 565 566 567 568 569	$72 \\ 0 \\ 6 \\ 38 \\ 3 \\ 1 \\ 21$	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	53 0 3 35 2 0 10	0 0 0 0 0 0 0 0	x x x x x x	x x x x x		$\begin{array}{c} x \\ 36.4 \\ 37.0 \\ 38.0 \\ x \\ 39.0 \end{array}$	0.30 x 0.20	SSSSL	P P P P	2,270 2,385 2,500 2,720 2,850 3,060	8 14 18 15 6 8	AL ALf AF AL AL AL	MisL	3,246
570 571 572 573 574	3 89 2 79 7	0 0 0 0 0	0 0 0 0 0	0 0 0 0	3 79 1 64 8	0 0 0 0 0	x x x	x x x		37.6 37.6 39.0	x 0 16 0.27	S S L	P P C	1,380 1,535 3,090	12 12 12	A A A	Dev	3,362
575 576 577	$\frac{1}{2}$	0 1 6	0 0 11	0 0	$\frac{6}{2}$	0 0	x	\boldsymbol{x}		x	x	L	P	2,875	6	MC	MisL Dev	2,91 5,198
578 579 580 581 582	0 74 5 3 262	0 1 0 0 5	0 3 0 0 6	0 0 0 0	1 68 4 3 216	0 0 0 0 0	x x x x	x x x x x		39.4 x 38.0	$0.14 \\ x \\ 0.17$	S OL OL OL	P P P P	2,950 3,020 3,120 3,150 3,170	12 20 10 8 15	AL AC AC AC		
583 584 585 586	32 1 0 0	0 0 0 0	2 0 0 0	0 0 0 0	43 1 0 1	0 0 0 0	$x \\ x$	<i>x x</i>		37.6 37.6	0.17 0.17	OL OL	P P	3,190 3,250	3 3	AC AC	MisL	3,324
587 588 589	1 18 14	0 0 0	0 0	0 0 0	0 13 11	0 0	x	\boldsymbol{x}		39.0	x	s	P	3,060	15	A	MisL	3,266
590 591 592	12 6	0 3 1	0 0	0 0 0	2 11 6	0 0 0	x x	x x		x x	x x	L S	P P	3,200 2,960	5 12	AC ML	MisL	3,185
593 594 595	6 15 1	0 0	0 0 0	0 0	5 14 0	0 0	x x	x x		x x	x x	Ľ s	P P	3,100 1,430	6	MC x	MisL	2,711
596 597 598	14 2 1	0 0	0 1 0	0 0	14 1 1	0 0	x x	x x		37.2 x	0.22 x	S	P P	1,770	20	AL x	MisL	2,929
599 600	1 3	0 0	1 0	0 0	0 0	0 0	x	x		x	x	ŝ	P	2,725	10	x	MisL	2,785

Table 1 — Continued

	Producing Formation		Oil	Production	1	Gas P	roductio	n
				Thousands	of Bbl		Millio Cu F	
Field, County ^a	Name and Age ^b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
Keensburg South, Wabash Keenville, Wayne	Lower Ohara; MisL McClosky; MisL Pennsylvanian; Pen Lower Ohara; MisL Aux Vases; MisU Lower Ohara; MisL McClosky; MisL	1944	20 40 60 40 20 450 100 80 290	x 777 28 49 610 x	0 0 10 4 6 97 x	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	
Kell, Jefferson ⁴⁹ Kenner, Clay	McClosky; MisL Tar Springs; MisU Bethel; MisU Aux Vases; MisU ²⁸ Rosiclare; MisL McClosky; MisL	1942 1942	40 600 10 600 10 10 20	3 580 x x x 1	76 76 x x x 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	
Kenner West, Clay	Bethel; MisU Aux Vases; MisU McClosky; MisL Cypress; MisU Bethel; MisU McClosky; MisL	1947	260 240 10 100 300 290 180 40	349 x x x 588 x x	127 x x x x 362 x x	0 0 0 0 0 0	0 0 0 0 0 0	
King, Jefferson	Aux Vases; MisU Lower Ohara; MisL ²⁷ Rosiclare; MisL McClosky; MisL ²⁷	1942	660 600 140 60 60	1,091 x x x x x	96 x x x x	0 0 0 0	0 0 0 0	
Laclede, Fayette Lakewood, Shelby Lancaster, Wabash-Lawrence.	Bethel; MisU Bethel; MisU Aux Vases; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL McClosky; MisL	1943 1941 1940	50 110 100 40 1,250 820 10 40 370	95 59 36 2,189 x x x	1 23 16 7 153 x x x	0 0 0 0 0 0	0 0 0 0 0 0 0 0	
Lancaster Central, Wabash .	Lower Ohara; MisL Rosiclare; MisL McClosky; MisL ²⁷	1946	200 80 180 20	288 x x x	39 x x x	0 0 0 0	0 0 0 0	
Lancaster East, Wabash Lancaster North, Wabash Lancaster South, Wabash Lancaster West, Edwards-Wabash Lexington, Wabash Lexington, Wabash Lillyville, Cumberland Livingston, Madison Louden, Fayette-Effingham	Biehl; Pen Rosielare; MisL Bethel; MisU McClosky; MisL Ste. Genevieve; MisL. McClosky; MisL McClosky; MisL Pennsylvanian; Pen Bartschi; Pen Cypress; MisU	1944 1948 1946 1943 1947 1946 1948 1937	20 10 10 10 20 80 140 130 50 20,800 0 16,500	17 2 15 5 15 132 264 175 27 144,292 0	4 .3 4 .5 2 5 5 72 27 6,686 0 x	0 0 0 0 0 0 0 0 0 0 0 0 160 160	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	137

Table 1 — Continued

		mber of ells e		P	Wells Producing Dec. 194	g f 8	Pres	rvoir sure, si ¹			racter of il ⁴		Prod	ucing For	rmati	on	Deepest Tested End of	to to
		19	48		Oil³													
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Centi	Depth to Top of Producing Zone, Ft.	Productive Thickness Avg. Ft. l Net	Structurem	Name	Depth of Hole, Ft.
601 602 603 604 605 606 607 608 609 610 611 612 614 615 620 621 623 624 625 626 627 626 630 631 632 633 633 633 633 633 633 633 633 633	1 22 3 3 2 1 1 3 3 3 9 9 2 20 0 2 1 1 4 4 4 1 1 1 1 1 2 6 6 2 0 0 1 1 1 1 1 1 1 1 2 6 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 2 1 1 1 299 77 79 1 20 0 0 422 1 1 1 0 0 0 24 4 22 1 1 1 1 1 4 1 27 1 1 6 0 0 1 1 1 0 0 1 1 1 0 0 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	***************************************			38.0 x x x x x x x x x x x x x x x x x x x	0 26 x x x x x x 0 .26 0 .22 x x x 0 .27 0 .26 0 .27 0 .26 0 .27 0 .27 0 .28 0 .27 0 .28 0 .28 0 .28 0 .28	בי מידי די מממקד ממד ממד מידי מידי מי מי	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	2,710 1,150 2,715 2,980 3,050 3,050 3,100 2,625 2,200 2,690 2,875 2,930 2,755 2,970 2,775 2,870 2,776 2,776 2,875 2,815 2,819 2,725 2,815 2,819 2,335 1,690 1,720	10 6 15 10 6 8 7 6 7 10 9 5 7 8 10 6 6 8 10 6 10 10 10 10 10 10 10 10 10 10 10 10 10	MC MC AL AC	MisL MisL MisL Dev Dev MisL MisL MisL MisL	2,879 3,267 2,720 3,082 3,076 4,890 4,760 2,608 1,794 2,908
640 641 642 643 644 645 646 647	0 1 29 1 13 2 8 0	0 0 0 0 0 0 0	0 0 1 0 3 0 1 0	0 0 0 0 0 0 0 0	1 1 9 1 10 2 7	0 0 0 0 0 0 0 0 0 0	x x x x x x x x x	x x x		39.8 39.8	x x 0 28	S L L LS L	P P P P	x	10 7 7 7	AL AC AC AC	MisL	2,888
648 649 650 651 652 653 654 655 656 657 658 659 660	3 2 1 1 1 4 10 8 5 2,004 4 962	0 0 0 0 0 1 0 0 0 0 0 5 6	2 0 0 0 0 0 0 0 0 0 0 15 0 13	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 1 1 1 4 10 8 5 1,794 0 740	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	x x x x x x x x x x x x x	x x x x x x x x x x x x x	G G	x x x x 40.99 x x 36.3	x x x x 0.20 x x x x x	SL SLLLLS SS	P P P P P P	1,750 2,660 2,295 2,720 2,850 2,970 2,425 531 1,000	10 6 10 12 10 8 10 10 10	ML ML X MC MC MC A ML AL A	MisL MisL MisL MisL MisL Oev Ord St. Peter	2,750 2,531 2,809 3,125 3,02I 4,000 2,378 4,680

Table 1 — Continued

		Producing Formation		Oi	l Productio	n	Gas P	roductio	ол
					Thousands	of Bbl		Millio Cu F	
Line Number	Field, Countya	Name and Age ^b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
661 662 663 664		Paint Creek; MisU Bethel; MisU Aux Vases; MisU Devonian; Dev		10,000 10,000 600 2,900	x x	x x x 945	0 0 0 0	0 0 0 0	0
665 666 667 670 671 673 674 675 676 680 681 682 683 684 685 686 687 688 689 699	McKinley, Washington Maplegrove, Edwards Maplegrove East, Edwards Maplegrove South, Edwards Marcoe, Jefferson ⁵¹ Marine, Madison Markham City, Jefferson Markham City North, Jefferson Markham City West, Jefferson Mason, Effingham Massilon, Wayne-Edwards Massilon, Wayne-Edwards Mastloon, Coles ⁵⁴	Bethel; MisU Devonian; Dev Silurian; Sil McClosky; MisL McClosky; MisL Lower Ohara; MisL McClosky; MisL Silurian; Sil McClosky; MisL Aux Vases; MisU McClosky; MisL Aux Vases; MisU McClosky; MisL Closky; MisL Closky; MisL Aux Vases; MisU McClosky; MisL Aux Vases; MisU McClosky; MisL Ste. Genevieve; MisL Coypress, MisU Aux Vases; MisU Aux Vases; MisU Aux Vases; MisU Aux Vases; MisU Rosiclare; MisL McClosky; MisL	1940 1943 1944 1945 1938 1942 1943 1945 1946 1946 1947 1939	210 100 180 830 120 20 2,700 2,700 2,700 20 22,40 240 480 290 240 4,350 2,190 3,500 3,500 100	195 82 1,275 8 8 8 13 4,683 1,013 735 x 960 0 0 74 10 8,130 x	85 3 0 82 116 0 5 0 1,081 46 35 x 186 x x 15 16 0 1,295 x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
691 692 693 694 695 696 697 698 699 700 701	Maud, Wabash	Biehl; Pen ²⁷ Waltersburg; MisU Tar Springs; MisU Hardinsburg; MisU Cypress; MisU Bethel; MisU Aux Vases; MisU ²⁸ Lower Ohara; MisL Rosiclare; MisL	1940	640 20 30 10 10 300 130 20 30 60 190	x x x x x x x x x x	262 x x x x x x x x x x x x x x x x x x	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
703 704 705 706 707 708 709	Maud North Consolidated, Wabash's	Cypress; MisU Bethel; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1946	650 120 500 50 30 20	x x x 1	239 x x x 0 x	0 0 0 0 0	0 0 0 0 0	0 0 0 0
710 711 712 713 714 715 716	Maunie North, White	Paint Creek; MisU Bethel; MisU Aux Vases; MisU Rosiclare; MisL McClosky; MisL	1941	350 20 190 60 50 140	x x x x	104 x x x x x	0 0 0 0 0	0 0 0 0 0	0 0 0 0
717 718 719 720	Maunie South, White ⁵⁶	Bridgeport; Pen Degonia; MisU	1941	880 60 60	2	139 x x	0 0 0	0 0 0	0

Table 1 — Continued

		amber of Yells¢		P	Wells roducin Dec. 194	g f 8	Pres	rvoir sure,		(aeter of il ^h		Prod	ueing Formati	on	Deepest 2 Tested ⁿ End of 1	to
		19	48	(Oil ³			82	ecovery.	I.2	Cent		C uti	p hickness t		Name	le, Ft.
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per C	Depth to Top of Producing Zone, Ft.* Productive Thickness Avg. Ft. ¹ Net	Structure"	Name	Depth of Hole, Ft.
661 662 663 664 665	323 420 0 84 211	0 0 0 0	0 0 0 1 1	0 0 0 10 19	151 229 3 63 608	0 0 0 0	x x x 1,350	x x x 1,280	G	37.8 38.5 x 28.0	0 24 0 20 x 0.48	S S S L	P P P C	1,540 15 1,550 10 1,630 9 3,000 15	A A A A		
666 667 668 669 570 671 672 673 674 675 676	17 7 1 9 38 3 1 2 138 19 15 2	9 0 0 0 0 0 0 0 4 0	0 0 0 0 3 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13 4 0 9 28 0 1 0 135 14 10 2	0 0 0 0 0 0 0 0 0 0 0 0	x x x x x x x x x x x x x x x x x x x	x x x x x x x		44.1 41.7 42.8 x 23.2 34.0 38.2	0.18 x x x x 0.54 0.28 0.08	S L L L L L L L L L S	P C C P P P P P P P	1,000 5 2,250 5 2,240 40 3,275 6 3,215 4 3,250 10 2,745 15 1,740 5 3,070 10 2,950 6	A R ⁵² R A ML ML ML R A	Ord MisL MisL MisL Ord MisL MisL Ord MisL	3,98 3,37 3,31 3,38 3,06 2,59 3,21 3,16
677 678 679 680 681	13 31 15 13	0 0 2 2 0	0 0 0 0	0 0 0 0	8 24 4 8	0 0 0 0	x x x	x x x		37.8 38.0 38.0	0.24 x	L S L	P P P	2,935 8 2,905 15 3,035 7	AL AC AL AC	MisL	3,18
682 683 684 685 686	3 9 3 1 418	0 0 0 0 26	0 1 0 0 14	0 0 0 0	12 1 3 0 390	0 0 0 0	x x x	x x x		38 4 x x	0 21 x x	L L L	P P P	2,500 6 3,260 8 3,315 9	AC MC MC	MisL MisL MisL St. Peter	2,58 3,47 3,39 4,91
687 688 689 690	93 3 207 0	5 1 5 0	3 0 7 0	0 0 0 0	84 3 187 4	0 0 0 0	x x x x	x x x x		38.0 38.0 38.0 38.0	$\begin{array}{c} 0.16 \\ x \\ 0.21 \\ x \end{array}$	S S L	P P P	1,835 15 1,900 15 2,000 12 2,010 5	A A A	St. Peter	4,91
691 692 693 694 695 696 697 698 699 700 701 702	115 54 0 2 0 0 26 5 0 1 2	15 33 0 0 0 0 24 4 0 1 2	4 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	112 46 0 1 1 1 25 5 0 1 2 5	0 0 0 0 0 0 0 0 0	* * * * * * * * * * * * * * * * * * * *	x x x x x x x x x x x x x x x x x x x		37.7 38.0 x 38.0 x x x 36.4 38.0	x x x x x x x x x x x x x 0.30	SSSSSSSLLL	P P P P P P P P P	1,720 10 1,940 15 1,960 12 2,115 20 2,300 15 2,465 10 2,545 10 2,610 6 2,670 5 2,630 6	AL AL AL AL AL AC AC AC	MisL	2,79
703 704 705 706 707 708 709	3 61 9 48 1 1	2 47 9 35 1 0	0 2 0 1 0 1	0 0 0 0 0	5 59 9 47 0 0	0 0 0 0 0 0	* * * * * * * * * * * * * * * * * * *	x x x x		36.0 x 35.0 x 36.0	x x x x x	S S L L L	P P P	2,500 8 2,550 20 2,815 5 2,860 3 x x	AL AC AC AC AC	MisL	2,99
710 711 712 713 714 715 716	2 31 2 15 2 1 8	2 13 0 9 1 0 2	0 2 0 1 0 0	0 0 0 0 0 0 0 0	2 26 2 15 2 1 3	0 0 0 0 0 0	x x x x x x x x	x x x x		36.5 x x	x x x x	SSSLL	P P P P	2,830 13 2,820 13 2,930 13 3,030 6 3,030 10	AL AL AC AC	MisL	3,26
717 718 719 720	3 89 6 5	1 1 0 0	0 2 1 0	0 0 0	3 71 4 3	0 0 0 0	x x	x x	W	37.0 x	$x \\ x$	SS	P P	1,400 7 1,900 10	$_{\rm AL}^{\rm AL}$	MisL	3,09

Table 1 — Continued

	Producing Formation		Θi	Production	1	Gas P	roductio	n
				Thousands	of Bbl		Millio Cu F	
Fĭeld, County∘	Name and Age^h	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
	Palestine; MisU Waltersburg; MisU Tar Springs; MisU Cypres; MisU Bethel; MisU ²⁷ Aux Vases; MisU Rosiclare; MisL ²⁸ McClosky; MisL		420 30 340 60 20 50 20 20	x x x x x x x x x	x x x x x x	0 0 0 0 0 0	0 0 0 0 0 0	()
Maunie West, White ⁵⁷ Mayberry, Wayne Mayberry North, Wayne ⁵⁸ Miletus, Marion	McClosky; MisL McClosky; MisL McClosky; MisL Bethel; MisU	1945 1941 1948 1947	20 240 20 170 100	20 277 1 76 x	0 11 1 41 x	0 0 0 0	0 0 0 0	. (
	Aux Vases; MisU McClosky; MisL		110 40	x x	z z	0	0	
Mills Prairie, Edwards Mill Shoals, White-Hamilton-Wayne	Lower Ohara; MisL Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1948 1939	20 2,000 1,700 80 130 610	4,937 x x x x x	412 x x x x	0 0 0 0 0	0 0 0 0 0	
Mt. Auburn, Christian Mt. Carmel, Wabash ⁵⁹	Silurian; Sil Bridgeport; Pen Biehl; Pen Jordan; Pen Palestine; MisU Waltersburg; MisU ²⁷ Tar Springs; MisU Jackson; MisU ²⁷ Cypress; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1943 1940	160 3,900 800 30 30 10 210 2,880 40 10 260 230 930	28 7,833 x x x x x x x x x x x x x x x x x x	3 453 x x x x x x x x x x x x x x x x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	
Mt. Carmel West, Wabash Mt. Erie North, Waync Mt. Olive, Montgomery Mt. Vernon, Jefferson	Waltersburg; Mis U Tar Springs; Mis U Cypress; Mis U Lower Ohara; Mis L McClosky; Mis L McClosky; Mis L Pottsville; Pen Aux Vases; Mis U Lower Ohara; Mis L ²⁸ McClosky; Mis L	1939 1944 1942 1943	210 30 30 80 20 80 100 20 80 30 110 30 80	147 19 3 x x 94 166 788 2 2 180 266 x	127 2 2 2 2 3 28 13 15 2 24 3 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	
Nason, Jefferson New Bellaire, Crawford New Harmony-Keensburg Consolidated, White-Wabash-Edwards ⁵⁹	Rosiclare; MisL Pennsylvanian; Pen	1943 1942 1939	20 20 12,660	11 10 52,648	1 0 2,820	0 0	0	(
	Jamestown; Pen Bridgeport; Pen		20 10	x x	x	0	0	(

Table 1 — Continued

		mber of ells			Wells coducing Dec. 194		Pres	rvoir sure,		Char O	acter f		Produ	icing For	mati	on	Deepest Tested ^r End of	² to
1		19-	48	- 1)il³				,						200			
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Cent	Depth to Top of Producing Zone, Ft.*	Productive Thickness Avg. Ft. l Net	Structurem	Name	Depth of Hole, Ft.
721 722 723 724 725 726 727 728 729 730 731	34 2 25 2 0 9 0	0 1 0 0 0 0 0	0 0 1 0 0 0 0 0	0 0 0 0 0 0 0	29 2 21 1 0 7 0 1 3	0 0 0 0 0 0 0	x x x x x x x	x x x x x x x	W	38.0 38.0 39.0 x x x	0.26 x x x x x x x	SSSSSLS	P P P P P P	2,010 2,210 2,240 2,565 2,735 2,485 2,900 2,920	17 19 16 8 x 12 8 6	AL AL AL AL AL AC AC		
730 731 732 733	6 1 6 1	0 0 1 0	0 0 1	0 0 0	0 5 0	0 0 0	x x x	x x		38 6 x	0.16 x	L L L	P P P	3,040 3,350 3,330	3 8 2	$_{x}^{\mathrm{MC}}$	MisL Dev MisL	3,149 5,377 3,463
734 735 736	14 5 5 1	0 0 0	0 0 0	0 0 0	14 5 6 2	0 0 0	x x x	x x x		x x x	x x x	sss	P P P	2,140 2,200 2,350	7 5	A A A	Dev	3,950
737 738 739	3 1 161	0 1 11	0 0 4	0 0	1 1 126	0 0 0	x	x		x	x	L	P	2,925	5	MC	MisL MisL	3,010 3,520
740 741 742 743	119 2 7 28	1 3 3	1 0 1 2	0 0 0 0	84 2 8 23	0 0 0 0	x x x x	x x x		39.8 x x 38.0	0.14 x x x	S OL LS OL	P P P	3,220 3,320 3,345 3,440	16 11 8 5	AC AC AC		
744 745 746	$\begin{bmatrix} 5 \\ 4 \\ 397 \end{bmatrix}$	0 0 5	0 0 21	0 0	9 3 312	0 0 0	x	x	G	36.6	0 28	L	P	1,890	5	MC	Sil MisL	1,998 2,672
747 748 749 750 751 752 753 754 755 756 757 758 759	4 44 3 3 0 0 236 3 0 7 5 42	3 0 0 0 0 1 0 1 0 0 0 0	0 2 0 0 0 1 0 8 0 0 0 0 0 0 7	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 37 1 1 0 6 0 181 2 1 5 4 23	0 0 0 0 0 0 0 0 0 0	x x x x x x x 550 x x x x x x x x x x x	x 30 x x x x x 40 55 x x 24	G	36.0 x x x x 36.1 36.1 x 36.6 37.0	0 20 x x x x x 0.17 x x 0.26 0.42	S S S S S S S S OL S OL	P P P P P P P P P	1,370 1,470 1,520 1,580 1,690 1,790 2,020 2,025 2,110 x 2,320 2,350 2,360	20 20 15 10 10 13 25 15 16 x 5 6	AL AL AL AL AL AL AL AC AC	A TO LI	2,072
760 761 762 763 764 765 766	41 17 2 2 8 1	0 13 0 0 8 1 4	3 1 1 0 0 0	0 0 0 0 0 0 0	49 15 1 1 8 1 4	0 0 0 0 0 0	x x x x	x x x x		30.0 x x x x	0 25 x x x x	S S L L	P P P P	1,880 1,945 2,280 2,540 2,575	8 12 8 4 8	AL AC AC AC	MisL	2,688
767 768 769	6 2 4	0 0	0 0	0 0	4 1 3	0 0	x	x		x x	x x	s	P	3,110 3,240	8 5	ML	MisL	3,354
770 771 772 773 774	6 7 3 0	0 0 0 0	0 0 0 0	0 0 0	1 3 1 0	0 0 0 0	x x x	x x x		33.2 x x	0.16 x x	L S S L	P P P	2,665 2,750	6 8 6	AL AC	Pen MisL	905 3,008
774 775 776 777	3 1 1 2	0 0 0 0	0 0 0 1	0 0 0	2 0 1 0	0 0 0	x x x	x x x		39 2 x 29.3	0.18 0.30	L S S	P P P	2,800 2,790 1,165	7 12 10	MC ML	MisL Dev	2,925 2,760
778 779 780	1,246 2 1	30 0 1	31 0 0	0 0	1,045 1	0 0 0	x x x	x x x	G	31.9 x	x x	SS	PP	720	13 7	AL AL	MisL	3,220

Table 1 — Continued

	Producing Formation		0	il Production	מ	Gas P	roductio	n
				Thousands	of Bbl		Millio Cu F	on t c
Field, County ^a	Name and Age ^h	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1948
	Biehl; Pen Degonia; MisU Clore; MisU Palestine; MisU Waltersburg; MisU Tar Springs; MisU Hardinsburg; MisU Cypress; MisU Paint Creek; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Acclosky; MisL McClosky; MisL		320 60 30 60 620 650 20 3,570 4,400 4,930 40 10 2,550	x x x x x x x x x x x x x x x x x x x		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	
New Harmony South, White	Waltersburg; MisU Tar Springs; MisU Bethel; MisU McClosky; MisL	1941	50 20 10 10 20	x x x	3 x x x x	0 0 0 0	0 0 0 0	
New Harmony South, (Ind.), $White^{59}$	Degonia; MisU ²⁷ Palestine; MisU Waltersburg; MisU	1946	60 20 20 40	$\begin{array}{c} x \\ x \end{array}$	60 x x x	0 0 0	0 0 0 0	(
New Haven, White	Tar Springs; MisU Hardinsburg; MisU Cypress; MisU Aux Vases; MisU McClosky; MisL	1941	300 80 10 150 70 40	x	36 x x x x x	0 0 0 0 0	0 0 0 0 0	(
New Haven West, Gallatin	Tar Springs; MisU Tar Springs; MisU Aux Vases; MisU	1944 1944	20 280 260 10	x	105 x x	0 0 0	0 0 0	(
Newton, Jasper. Newton North, Jasper ⁶⁰ Newton West, Jasper ⁶¹ Odin, Marion Olney, Richland	Lower Ohara; MisL St. Genevieve; MisL McClosky; MisL McClosky; MisL Cypress; MisU Lower Ohara; MisL	1944 1945 1947 1945 1937	20 80 20 20 280 960 240 800	56 7 .3 344 2,019 x	13 0 0 52 168 x	0 0 0 0 0 0	0 0 0 0 0 0	000000000000000000000000000000000000000
Olney East, Richland	McClosky; MisL McClosky; MisL McClosky; MisL Biehl; Pen Palestine; MisU Tar Springs; MisU	1944 1938 1940	690 20 400 20 330 70	707 10 1,511 x x x	62 0 148 x x	0 0 40 0 0 0	0 0 x 0 0 x	000000000000000000000000000000000000000
Omaha East, Gallatin. Omega, Marion. Panama (Gas), Bond Parkersburg Consolidated, Richland-	Lower Ohara; MisL McClosky; MisL Pennsylvanian; Pen	1946 1946 1940	20 40 0	6 4 0	1 1 0	0 0 160	0 0 x	(
Edwards	Cypress; MisU Paint Creek; MisU Bethel; MisU	1941	2,800 100 10 20	5,607 x x x	656 x x x	0 0 0 0	0 0 0 0	0

Table 1 — Continued

		imber of 'ells '		Pi	Wells roducing Dec. 194	g/ 8	Pres	ervoir sure,			acter of il ^h		Prod	ucing Fo	rmati	on	Deepest 2 Tested ⁿ End of 1	to
		19	48	(Dil ³													}
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I. ²	Sulphur, Per Cent	Character i	Porosity, Per Cent	Depth to Top of Producing Zone, Ft.*	Productive Thickness Avg. Ft. l Net	Structurem	Name	Depth of Hole, Ft.
781 782 783 784 785 786 787 788 789 790 791 792 793 794	37 2 2 5 24 43 0 353 15 185 213 4 4 119	2 0 0 0 0 0 0 0 3 0 14 3 1 1 0 0 5	1 0 0 0 3 2 0 7 1 4 4 4 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25 6 1 5 19 34 2 2 59 13 114 148 2 4 81	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			G G G G	37.5 x 34.0 34.5 x 34.8 34.0 34.2 x 35.0	x x x 0.40 0.19 x x 0.24 0.19 x 0.33	S S S S S S S S S S S S C L S O L S O L	P P P P P P P P P P P	1,850 1,925 1,980 2,000 2,155 2,215 2,570 2,660 2,700 2,825 2,900 2,910 2,925	20 10 10 10 20 16 x 20 20 27 15 6	AL AC AC AC		
795 796 797 798 799 800	237 5 1 1 1	5 0 0 0 0	4 0 0 0 0 0	0 0 0 0 0 0	330 1 x x 0 0 x 0	0 0 0 0 0	x x x x	x x x x		x x x x	x x x x	S S S OL	P P P	2,250 2,350 2,815 3,010	18 16 10 5	MF MF MF MF	MisL	3,207
801 802 803 804 805	1 6 0 1 3 2	0 0 0 0	0 0 0 0	0 0 0 0	0 6 0 1 3 2	0 0 0 0	x x x	x x x		x x x	x x x	SSS	P P P	1,850 1,955 2,120	8 10 30	MF MF MF	MisL	3,068
806 807 808 809 810 811 812	23 4 1 7 4 1	0 0 0 0 0 0	0 1 0 0 1 0	0 0 0 0 0 0 0	21 4 1 6 3	0 0 0 0 0 0	x x x x x	x x x x x		36.4 x x x x	0.27 x x x x	S S S OL	P P P P	2,105 2,245 2,444 2,720 2,840	12 8 12 15 6	ALf ALf ALf ALf MC	MisL	2,980
813 814 815	$\begin{array}{c} 6 \\ 2 \\ 25 \end{array}$	0 0 6	0 0 0	0 0	6 2 24	0 0 0	x	x		x	x	S	P	2,175	10	ML	MisL MisL	2,990 2,950
816 817 818 819 820 821 822 823	23 1 1 4 1 25 54	5 1 0 0 0 0 4 1	0 0 0 0 1 0 0 2	0 0 0 0 0 0 0	23 1 0 3 0 0 25 33	0 0 0 0 0 0 0			W	38.0 x x x x x	x x x x x x	S S L L L L S	P P P P P	2,115 2,715 2,795 2,950 2,855 2,990 1,750	12 8 5 6 5 7 13	Af Af Af MC MC MC AL	MisL MisL MisL Dev MisL	3,040 2,889 3,120 3,597 3,289
824 825	6 48	0	$\frac{0}{2}$	0	6 26	0	x x	x x	"	37.2 37.2	0.19 0.19	L L	P	3,005 3,040	6 8	A A	1411517	0,203
826 827 828	$\begin{array}{c} 0 \\ 27 \\ 2 \end{array}$	0 0	0 1 0	0 0	23 0		x x	x x		x x	x x	L	P P	3,075 3,055	7 4	A MC	MisL MisL	3,181 3,120
829 830 831 832	25 2 19 4	4 2 2 0	0 0 0 0	0 0 0 0	22 2 14 3	0 0 0	750 x	231 x		$\begin{array}{c} x \\ 27.0 \\ x \end{array}$	0.24 x	SSS	P P P	1,335 1,700 1,900	10 15 15	D D D	MisL	2,915
833 834 835 836	0 1 2 4	0 0 0	0 0 0 0	0 0 0 0	3 1 1 0	0	x x x	x x		37.0 x	x x	L L S	P P P	2,855 2,490 575	8 10 30	MCf D A	MisL MisL Dev	3,000 2,584 2,016
837 838 839 840	144 3 0 1	17 2 0 0	5 0 0 0	0 0 0 0	127 2 1 1	0	x x x x	x x x		x x x	x x x	SSS	P P P	2,830 2,955 2,930	12 17 12	A A A	MisL	3,333

Table 1 — Continued

		Producing Formation		Oil	Production	n	Gas P	roductio	n
-				T	`housands	of Bbl		Millio Cu F	on t e
	Field, County®	Name and Age b	Year of Discovery	Area Proved, Acres	To End of 1948	Druing 1948	Area Proved, Acres	To End of 1948	During 1018
		Lower Ohara; Misl. Rosiclare; Misl. McClosky; Misl.		60 80 2,630	x x	x x x	0 0	0 0 0	
	Parkersburg North, Richland Parkersburg South, Edwards Parkersburg West, Richland-Edwards Passport, Clay	McClosky; MisL Bethel; MisU Lower Ohara; MisL McClosky; MisL Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1945 1948 1943	20 10 110 20 100 860 40 40 800	8 2 75 x x 1,223 x x x	1 2 5 x 1,064 x x	0 0 0 0 0 0	0 0 0 0 0 0 0	
	Passport South, Richland	Cypress; MisU Rosiclare; MisL Cypress, MisU Bethel; MisU Rosiclare; MisL Devonian; Dev	1948	20 10 10 920 40 780 60 40	9 2 7 8,798 x x x x 82	9 2 7 776 x x 30	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	
	Patoka East, Marion	Cypress; MisU Bethel; MisU	1941	500 480 90	3,066 x x	172 x x	0	0 0 0	
	wards ⁶³	Pennsylvanian; Pen Pennsylvanian; Pen Biehl; Pen Degonia; MisU Clore; MisU Palestine; MisU Waltersburg; MisU Tar Springs; MisU Cypress; MisU Paint Creek; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1939	3,590 50 200 600 560 100 760 70 160 320 350 60 80 500	8,380 x x x x x x x x x x x x x	1,024 x x x x x x x x x x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	
	Plainview, Macoupin Posey, Clinton Raymond, Montgomery Richview, Washington Ridgway, Gallatin ⁶⁴ Riffle, Clay Rinard, Wayne ⁶⁵ Roaches, Jefferson	9 Pennsylvanian; Pen Cypress; MisU Pottsville; Pen Cypress; MisU McClosky; MisL Rosiclare; MisL McClosky; MisL Lower Ohara; MisL	1942 1941 1940 1946 1946 1948 1937 1938	10 20 70 10 20 20 20 20 40	1 6 9 3 .1 5 7 522 x	.3 0 2 1 0 5 0 13 x	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
	Roaches North, Jefferson	Rosiclare; MisL McClosky; MisL 9 Bethel; MisU Rosiclare; MisL McClosky; MisL ²⁷	1944	100 80 400 380 20 20	972 x x x	98 x x x	0 0 0 0 0	0 0 0 0 0	
	Rochester, Wabash ⁵⁹	9	1948	230	66	66	0	0	

Table 1 — Continued

		mber of 'ells °			Wells coducing Dec. 194		Reser Press Ps	sure,			racter of il ^h		Prod	ucing Form	 ition	Deepest 2 Tested ⁿ End of 1	to
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Cent;	Depth to Top of Producing Zone, Ft. k Productive Thickness	Avg. r.c. net Structure"	Name	Depth of Hole, Ft.
841 842 843	1 3 130	0 0 15	0 0 5	0 0 0	1 1 111	0 0 0	x x x	x x x		38 0	0.31	OL LS OL	P P P	3,070 10 3,100 7 3,135 10	A		
844 845 846 847	6 1 1 4	0 0 1 0	0 0 0 0	0 0 0 0	10 1 1 2	0 0 0 0	r r	x x		I I	x x	L S	P P	3,085 2,815		MisL MisL MisL	3,212 3,085 3,331
848 849 850	1 3 47	0 0 40	0 0 0	0 0 0	0 2 47 2 0	0 0	x x	x x		x x	x x	L L	P P	3,220 3,245	AC	MisL	3,140
851 852 853	0 1 44	0 0 39	0 0	0 0	2 0 43	0 0	x x x	x x		37.4	x x x	L L L	P P P	3,000 5 3,005 5 3,020 10	A		
854 855 856 857	2 1 1	1 2 1 1	0 0 0 0	0 0 0	43 2 2 1	0 0 0 0	x x	I X		x z	I I	SL	P P	2,665 15 3,025 6		MisL	3,139
858 859 860 861 862	167 0 162 4	3 0 3 0	3 0 3 0 0	0 0 0	101 4 93 3	0 0 0 0	x x x	x x x	W	39.5 40.9 40.0	0.16 0.31 0.28	S S S L	P P P	x 15 1,410 25 1,560 15 2,835 10	D D D	Dev	3,142
863 846 865	59 54 5	0 0	0 0	0 0	53 48 5	0 0	x x	x x		36.0 36.0	0.18	S	P P	1,340 16 1,465 10	A	MisL	1,740
866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881	280 3 14 48 23 3 55 7 3 19 19 19 2 6 3 3 40	11 0 0 1 0 0 0 0 0 0 0 0 0 0 2 2 2 4	7 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	247 2 11 35 23 2 2 2 2 3 53 6 6 6 14 17 2 4 3 36	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	x 500 x x x x x x x x x x x x x x x x x	***************************************	W G W G	36 0 36.2 36.0 x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	TET SOURCESSESSES	P P P P P P P P P P P P P P P P P P P	795 10 1,340 10 1,450 15 1,975 15 2,010 12 2,050 11 2,280 12 2,280 12 2,780 12 2,780 12 2,810 15 2,880 15 3,010 10 3,000 6	MF MF MF MF MF MF MF MF MF MF	Dev	5,350
883 884 885 886 887 888 889 890	1 2 8 1 1 1 1 13	0 0 2 0 0 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	1 0 4 1 0 1 0 5	0 0 0 0 0 0 0 0	x x x x x x	x x x x x x		35.8 34.8 x x x 38.5	0 17 0 22 x x x	3333444	P P P P P	410 5 1,105 5 590 10 1,520 7 2,840 6 2,735 5 3,145 A	M ML AL MC MC	Pen MisU MisL MisL MisL MisL MisL Dev	421 1,509 1,001 1,932 2,938 2,848 3,280 3,840
891 892 893 894	2 7 4 0	0 0 0	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	0 4 0	0 0 0	x x x	x x x		37.2 37.2 37.2	$\begin{array}{c} 0 & 22 \\ 0 & 22 \\ 0 .22 \end{array}$	L L L	P P P	$\begin{bmatrix} 2,170 & 5\\ 2,190 & 12\\ 2,250 & 4 \end{bmatrix}$	AC		
894 895 896 897 898	34 32 1 0	0 0 0 0 0 0	1 1 0 0	0 0 0 0 0	33 30 1 0 2	0 0 0 0	x x x	x x x		x x x	x x x	S L L	P P P	1,925 7 2,115 8 x x		MisL	2,283
900	31	31	0	0	31	0								1		MisL	2,810

Table 1 — Continued

	Producing Formation		Oil	Production	n	Gas P	roductio	n
				Thousands	of Bbl	T	Millio Cu F	
Field, County ^a	Name and Age b	Date of Discovery	Area Proved, Acres	To End of 1948	During 1948	Area Proved, Acres	To End of 1948	During 1948
	Pennsylvanian; Pen Waltersburg; MisU		110 150	x x	x x	0	0	
Roland, White-Gallatin	Pennsylvanian; Pen ²⁷ Clore, MisU ²⁷ Waltersburg; MisU Tar Springs; MisU Cypress; MisU Paint Creek; MisU ²⁷ Bethel; MisU Aux Vases; MisU Lower Ohara; MisL ²⁷ Rosiclare; MisL ²⁷ McClosky; MisL	1940	2,910 10 19 1,970 40 550 30 560 680 40 40	8,392 x x x x x x x x x x x x x x x x x x x	1,103 x x x x x x x x x x x x x x x x x x x	160 0 0 160 0 0 0 0 0	0 0 0 0 0 0 0 0	
Ruark, Lawrence	Buchanan; Pen Bethel; MisU Cypress; MisU ²⁷ Paint Creek; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1941 1941	30 20 10 3,650 30 40 3,310 1,280 110 900	x x x 11,054 x x x x x x x	1 x x x 1,019 x x x x x x x x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	
Rural Hill West, Hamilton	Aux Vases; MisU Bridgeport; Pen Buchanan; Pen McClosky; MisL	1945 1937	10 20 0 0 20	9 4 0 0 4	3 3 0 0 3	1,800 x x 0	7,069 x x	
St. Francisville East, Lawrence. St. Jacob, Madison. St. James, Fayette. St. Paul, Fayette. Ste. Marie, Jasper. Sailor Springs Consolidated, Clay	Bethel; MisU "Trenton"; Ord Cypress; MisU Bethel; MisU Bethel; MisU McClosky; MisL Tar Springs; MisUse Cypress; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL McClosky; MisL	1941 1942 1938 1941 1941 1941	160 1,120 1,860 200 620 2,900 630 100 830 80 40 80 20 990	170 2,067 10,378 399 581 4,614 <i>x</i> <i>x</i> <i>x</i> <i>x</i> <i>x</i>	13 163 553 32 21	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0	
Sailor Springs Central, Clay Sailor Springs Bast, Clay Sailor Springs North, Clay Sailor Springs North, Clay Sailor Springs West, Clay Sailor Springs West, Clay	Rosiclare; MisL Cypress; MisU Rosiclare; MisL Cypress; MisU Ste. Genevieve; MisL Bethel; MisU Aux Vases; MisU Rosiclare; MisL McClosky; MisL St. Louis; MisL Salem; MisL	1948 1944 1948 1948 1948	10 100 20 230 210 20 9,600 x x x x x	0.1 50 .5 62 60 2 208,008 x x x x	.1 5 .5 62 60 2 4,691 x x x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	

Table 1 — Continued

		imber of ells e			Wells roducing Dec. 194		Pres	rvoir sure, si ¹		(acter of il ^h		Prod	ucing Fo	ormati	on	Deepest Tested End of	¹ to
Line Number	Completed to End of 1948	Completed 61	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary R covery	Gravity A.P.I.2	Su p ur, Per Cent	Character 1	Porosity, Per Cent i	Depth to Top of Producing Zone, Ft. k	Productive Thickness Avg. Ft. ! Net	Structure"	Name	Depth of Hole, Ft.
901 902 903 904 905 906 907	10 19 2 208 0 0 109	10 19 2 32 0 0 29	0 0 0 2 0 0	0 0 0 3 0 0 0 3	10 19 2 192 0 0 99	0 0 0 0 0	x x x 1,200	x x x 900		x x x 38 0	x x x 0.25	ss sss	P P P	1,300 1,940 x x 2,150	26 x x	MLf ML AL AL AL	Dev	5,225
908 909 910 911 912 913 914 915	3 21 0 18 17 0 0 2	0 0 0 1 0 0 0	0 1 0 0 1 0 0 0	0 0 0 0 0 0 0	20 0 16 14 0 0	0 0 0 0 0 0 0	x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x		32.0 x 38.0 x 38.4 38.4	x x x x x x x x x x x x x x x x x x x	S S S S OL L OL	P P P P P P P P	2,240 2,560 2,750 2,760 2,880 3,000 3,020 3,050	10 15 12 15 12 8 4	AL AL AL AL AC AC AC		
916 917 918 919 920 921 922 923 924	$egin{array}{c} 38 \\ 3 \\ 2 \\ 1 \\ 266 \\ 0 \\ 0 \\ 145 \\ 28 \\ \end{array}$	2 0 0 0 35 0 0 23 7	0 1 1 0 4 0 0 1	0 0 0 0 0 0 0	41 1 2 240 0 1 123 26	0 0 0 0 0 0 0	x x x x x	x x x x x	G G	x x x 38 0 38 4	x x x 0.15 0.22	ss sssl	P P P P	1,510 2,065 2,705 3,040 3,130 3,175	11 15 20 25	AL AL A A AC	MisL Dev	2,320 5,48
924 925 926 927 928 929 930 931	25 64 1 60 18 42	2 2 1 0 0 0	0 1 2 0 0 0	0 0 0 0 0 0	3 20 67 1 2 0	0 0 0 0 16 4	x x x	x x x x		x x	x x x	LS L S S S S	P P P	3,230 3,230 3,230 760 1,100	5	AC AC ML A A	MisL Dev	3,48 3,13
932 933 934 935 936 937 938	0 11 53 187 14 20 207	0 0 0 0 0 0 0 45	0 0 0 2 0 1 6	0 0 0 0 0 0 0	2 11 45 156 11 16 192	0 0 0 0 0 0	x x x x x	x x x x x	W	$ \begin{array}{c} x \\ 39.8 \\ 40.0 \\ 34.4 \\ 34.0 \\ 40.2 \end{array} $	$\begin{pmatrix} x \\ 0.21 \\ 0.23 \\ 0.31 \\ 0.23 \\ 0.14 \end{pmatrix}$	LSLSSL	P P P P	1,560 1,750 2,260 1,580 1,900 2,840	7 20 17 16 9	A A A A A AC	MisL Ord Dev Dev MisL MisL	1,96 2,54 3,45 3,57 2,93 3,46
939 940 941 942 943 944 945 946	$\begin{array}{c} 44 \\ 0 \\ 82 \\ 5 \\ 3 \\ 2 \\ 1 \\ 60 \end{array}$	0 9 4 3 1 1 22	0 0 1 0 0 0 0 5	0 0 0 0 0 0	39 0 79 6 5 1 1 50	0 0 0 0 0 0 0	x x x x x x x x	x x x x x x		37.0 38.5 x x x x 36.4	0.17 x 0.28 x x x x x	S L S S OL LS OL	P P P P P P	2,340 2,390 2,590 2,785 2,845 2,945 2,950 3,000	6 10	A A A A A A A		0,10
947 948 949 950 951 952	10 1 9 1 15 14	5 1 0 1 15 14	0 0 0 0 0	0 0 0 0 0	11 5 1 15 14	0 0 0	x x x	x x x		x x x	x x x	L S L	P P P	3,015 2,695 2,985 2,590	4 8 5	MC D MC	MisL MisL MisL MisL	3,109 3,160 2,990 3,04
953 954 955 956 957 958 959 960	1 2,457 487 152 9 552 0 8	1 0 0 0 0 0 0	0 26 5 2 0 10 0	0 7 0 0 0 0 0	2,067 338 66 10 313 2 12	0 0 0 0	x x x x x x	x x x x x x	G •	38.2 38.6 x x x	0.19 0.21 x x x x	S S S OL L	P P P P P	1,780 1,825 1,950 1,990 2,100 2,160	5 40 40 5 17 x	AC A A AL A A A	St. Peter	5,655

Table 1 — Continued

l		Producing Formation		Oil	Production	1	Gas P	roductio	n
١				7	housands	of Bbl		Millio Cu Fi	on t c
	Field, County ^a	Name and Age^{b}	Date of Discovery	Area Proved, Acres	To End of 1948	During 1948	Area Proved, Acres	To End of 1948	During 1948
1 2		Devonian; Dev "Trenton"; Ord		x x	35,677 3,225	391 239	0	0	0 0
3 4 5 6 7 8 9 9 1 1 2 3 4	Samsville, Edwards ⁶⁶ , Samsville North, Edwards Sandoval West, Clinton Santa Fe, Clinton ⁶⁷ Schnell, Richland Seminary, Richland Sesser, Franklin	9 Waltersburg; MisU Bethel; MisU Cypress; MisU Cypress; MisU McClosky; MisL McClosky; MisL Renault; MisU Aux Vases; MisU Rosiclare; MisL ²⁷ McClosky; MisL ²⁷	1942 1945 1946 1944 1938 1945 1942	20 190 10 10 80 160 260 140 80 30 30	1 120 13 2 211 115 235 x x x	0 25 3 0 3 56 101 x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
300000000000000000000000000000000000000	Shattuc, Clinton Shawncetown, Gallatin Shawncetown North, Gallatin Shelbyville, Shelby Sorento, Bond Stanford, Clay	Cypress; MisU Paint Creek; MisU "Trenton"; Ord Aux Vases; MisU McClosky; MisL Aux Vases; MisL Devonian; Dev Rosiclare; MisL McClosky; MisL	1945 1945 1948 1946 1938 1945	200 180 10 20 10 20 60 140 270 240 180	43 x 4 4 .5 .2 7 25 599 x x	29 x 4 0 2 5 15 26 x x	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
3	Stanford South, Clay	Aux Vases; MisU McClosky; MisL Rosiclare; MisL ²⁸ McClosky; MisL	1946 1947	210 150 100 70 10 70	223 x x 41 x x	49 x x 11 x x	0 0 0 0 0	0 0 0 0 0	0 0 0 0
1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Stewardson, ShelbyStokes-Brownsville, White	Aux Vases; MisU Palestine; MisU Tar Springs; MisU Hardinsburg; MisU Cypress; MisU Paint Creek; MisU Bethel; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL McClosky; MisL	1939 1939	80 2,440 30 100 1,120 150 300 200 160 200 140 480	89 5,780 x x x x x x x x x x x x x	9 625 x x x x x x x x x x x x x x x x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
3	Storms, White	Waltersburg; MisU Tar Springs; MisU Cypress; MisU Bethel; MisU Aux Vases; MisU McClosky; MisL	1939	1,840 1,790 100 20 20 20 20 20	5,692 x x x x x x x	218 x x x x x x	460 460 0	x x 0 0 0	110 110 0 0 0 0
3	Stringtown, Richland Stringtown East, Richland	Rosiclare; MisL McClosky; MisL McClosky; MisL	1941 1948	370 20 350 20	621 10 511 1	373 10 363 1	0 0 0 0	0 0 0	0 0 0 0
9	Sumner, Lawrence	McClosky; MisL	1944	40	12	3	0	0	ő

Table 1 — Continued

		mber of ells			Wells roducing Dec. 194		Rese Press Ps	sure.		Char o Oi	f	I	Produ	icing Fo	rınati	on	Deepest Tested ⁿ End of 1	to
Line Number	Completed to End o 1948	Completed	Ab ndoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Centi	Depth to Top of Producing Zone, Ft.*	Productive Thickness Avg. Ft. ! Net	Structurem	Name	Depth of Hole, Ft.
961 962	541 2	0 0	8	0 7	262 40	0	x x	x x		42.1 x	0.28 x	L L	CC	3,440 4,500	40 50	A A		
963 964 965 966 967 968 969 970	706 2 14 1 1 4 8 18	0 0 0 0 0 0 6 4	1 0 0 0 0 0 1	0 0 0 0 0 0 0	1,024 0 12 1 0 2 7 16	0 0 0 0 0 0	x x x x x	x x x x x		37.0 x	x x x x 0.19 x	s s oL L	P P P P	2,430 2,900 1,420 955 3,000 3,195	10 6 4 10 5 8	A A A AC AC	MisL MisL MisL Dev MisL MisL Dev	3,303 3,242 3,203 2,512 3,123 3,333 4,688
971 972 973 974	9 6 0	$\begin{bmatrix} 0 \\ 2 \\ 0 \\ 0 \end{bmatrix}$	0 0 0	0 0 0	9 4 0	0 0 0	x x x	x x x x		39.2 39.2 x	0.17 0.17 x	S L L	P P P	2,690 2,700 2,835 2,860	10 10 16 5	AL AL A A	Dev	1,000
975 976 977 978 979 980 981 982 983	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	12 10 1 1 1 1 1 4 7	12 5 0 1 0 0 1 1 0 0 1 1	0 0 0 0 0 0 0	3 12 10 10 1 1 1 2 4	0 0 0 0 0 0 0	x x x x x x	x x x x x x x		x x 40.0 x x 35.4	x x x x x x x x x	SSLSLSL	P P C P P C	1,280 1,420 4,055 2,650 3,045 1,860 1,850	7 13 12 10 6 15 4	AL AL A MF MF A	Ord MisL MisL MisL Dev	2,837 3,091 2,119 1,946
984 985 986 987	7 4 3	0 0 0	0 0 0	0 0	14 8 5	0 0 0	x x	x x		38.0	x x	OL L	P P	3,000 3,025	6	MC MC	MisL	3,150
988 989 990	17 3 4	1 0 3	1 1 0	0 0	16 12 4	0 0	x x	x x		x x	x x	S L	P P	2,970 3,090	12	AL AC	MisL	3,20
991 992 993	$\begin{smallmatrix} 3\\0\\2\end{smallmatrix}$	0 0 0	1 0 1	0 0	4 2 0 2	0 0 0	x x	x x		x x	x x	L L	P P	2,980 3,030	2 6	ML ML	MisL	3,106
994 995 996 997 998 999 1000 1001 1002 1003 1004 1005	1 6 184 2 2 92 9 11 111 7 6 11 18 15	0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 6 0 0 1 2 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	0 6 153 2 2 2 82 82 5 13 8 7 7 6 17	0 0 0 0				37.0 36.0 36.0 35.6 36.0 36.0 36.0 36.0 36.0 36.0	0.18 x x 0.22 x x x x x 0.23	S S S S S OL LS OL	P P P P P P P P	1,945 2,085 2,295 2,630 2,660 2,800 2,815 2,890 3,035 3,070 3,120	18 12 22 8 13 5	MF MF A MF AF AF AF AC AC	MisL MisL	2,138 3,312
1007 1008 1009 1010 1011 1012 1013 1014	15 177 167 4 1 0 1	4 4 0 0 0 0 0	2 8 6 0 0 0 0 2	0 0 0 0 0 0 0	138 132 3 1 0 0	4 0 0 0 0 0	x x x x x x x x x	x x x x x		32.1 x x x x x x	0.28 x x x x x	S S S S L	P P P P	2,230 2,340 2,655 2,805 3,015 3,055	10 14	AL MLf MLf ML ML ML	MisL	3,174
1015 1016 1017	3 25 2	18 2	0 0	0 0	25 25 2 23	0 0	x	x		x	x	L	P	2,990	6	AC	MisL	3,108
1018 1019 1020	23 1 2	16 1 1	0 0	0 0	23 1 2	1 0	x x x	x x x		39.8 x x	0.24	OL L L	P P P	3,040 3,010 2,260	4	AC x MC	MisL MisL	3,144 2,365

Table 1 — Continued

		Producing Formation		Oi	l Productio	n	Gas P	roductio	n
					Thousands	of Bbl		Millio Cu F	
Line Number	Field, $County^a$	Name and Ageb	Date of Discovery	Area Proved, Acres	To End of 1948	During 1948	Area Proved, Acres	To End of 1948	During 1948
1021 1022 1023 1024 1025 1026 1027 1028 1029	Sumpter, White. Sumpter South, White. Tamaroa, Perry Thackeray, Hamilton	Tar Springs; MisU Cypress; MisU Waltersburg; MisU Cypress; MisU Aux Vases; MisU Lower Ohara; MisL ²⁸ McClosky; MisL	1945 1948 1942 1944	30 20 10 10 50 580 580 40	11 10 1 3 11 1,819 x x	3 2 1 3 1 240 x x	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0
1030 1031 1032 1033 1034 1035 1036 1037	Thompsonville, Franklin ⁶⁸ Thompsonville North, Franklin Toliver, Clay ⁶⁹ Toliver East, Clay	McClosky; MisL Cypress; MisU Aux Vases; MisU McClosky; MisL Rosiclare; MisL	1940 1944 1942 1943	220 530 10 520 40 80 20	285 524 0 524 6 161	0 411 0 411 0 11 x	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0
1038 1039 1040 1041 1042 1043 1044	Tonti, Marion	McClosky; MisL Bethel; MisU Aux Vases; MisU Rosielare; MisL McClosky; MisL Devonian; Dev	1939	60 70 x x x x x	8,738 x x x 1,660	529 x x x x x 40	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0
1045 1046 1047 1048 1049 1050	Trumbull, White .	Cypress; MisU Aux Vases; MisU Rosiclare; MisL McClosky; MisL	1944	230 100 80 40 40	321 x x x x x	85 x x x x	0 0 0 0	0 0 0 0	0 0 0 0
1051 1052 1053 1054 1055 1056 1057 1058	Valier, Franklin	MeClosky; MisL Pottsville; Pen Rosiclare; MisL Tar Springs; MisU Aux Vases; MisU McClosky; MisL ²⁷	1942 1940 1946 1941	20 40 20 1,300 20 1,290 20	2 10 1 4,085 x x x	0 1 0 239 x x x	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0
1059 1060 1061 1062 1063	Waltonville, Jefferson	Bethel; MisU Pennsylvanian; Pen Devonian; Dev	1943 1946	40 10 0 10	70 0 0 0	9 0 0	0 500 40 460	0 0 0	0 0 0 0
1064 1065 1066 1067 1068 1069 1070 1071 1072	West End, Hamilton-Saline. Westfield East, Clark. West Frankfort, Franklin ⁷¹	Aux Vases; MisU Pennsylvanian; Pen Tar Springs; MisU Aux Vases; MisU Lower Ohara; MisL Rosiclare; MisL ²⁸ McClosky; MisL	1944 1947 1941	160 80 790 440 40 450 10 400	331 6 1,600 x x x x x	53 4 446 x x x x	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0
1073 1074 1075 1076 1077 1078	Whittington, Franklin	Hardinsburg; MisU Cypress; MisU McClosky; MisL St. Louis; MisL	1939	100 20 20 40 40	86 x x x x x	9 x x x x	0 0 0 0	0 0 0 0	0 0 0 0
1078 1079 1080	Whittington West, Franklin	Aux Vases; MisU	1943	170 80	90 x	54 x	0	0	0

Table 1 — Continued

-		mber of ells e			Wells roducing Dec. 194		Reser Press Ps	sure,			acter f l ^h		Prod	ucing Fo	ormati	on	Deepest Tested ^r End of 1	to
L ne Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificial Lift	Gas	Initial	Avg/End 1948	Secondary Recovery	Gravity A.P.I. ²	Sulphur, Per Cent	Character i	Porosity, Per Centi	Depth to Top of Producing Zone, Ft. k	Productive Thickness Avg. Ft. ¹ Net	Structure	Name	Depth of Hole, Ft.
1021 1022	3 2	1 0	0	0	2	0	x	x		x	x	s	P	2,575	18	MF	MisL	3,379
1023 1024 1025	1 1 3	1 1 0	0 0 0	0 0 0	1 1 2	0 0 0	x x x	x x x		x x 36.0	x x 0 12	sass	P P P	2,865 2,570 1,130	20 10	MF ML AL	MisL MisL	3,425 1,630
1026 1027 1028 1029	50 49 0 0	2 2 0 0	0 0 0 0	0 0 0 0	49 48 0 1	0 0 0 0	x x x	x x x		37.0 x x	x x x	S L L	P P P	3,360 3,440 3,505	15 7	AL AC AC	MisL	3,620
1030 1031 1032	1 19 56	0 0 51	0 0 1	0 0	0 0 55	0 0 0	x	x		37.8	0.16	L	P	3,120		A	MisL MisL	3,455 3,365
1033 1034 1035	1 55 1	50 0	0 1 0	0 0	1 54 0	0 0 0	x x x	x x x		$\begin{array}{c} x\\39.0\\37.1\end{array}$	x x x	S OL	P P P	2,750 3,100 2,790	20	AL AL MC	MisL	2,887
1036 1037 1038	1 3	1 0	$\begin{array}{c} 1 \\ 0 \\ 1 \\ 2 \end{array}$	0 0 0 0	3 0 3	0 0 0 0	x x	x		x x	x x	L OL	P P	2,815 2,840	6 8	$_{\rm MC}^{\rm MC}$	Misl. Ord	4,900
1039 1040 1041 1042 1043 1044	88 7 16 1 53 6	8 2 0 1 2	0 0 0 2 0	0 0 0 0	78 7 24 1 38 4	0 0 0 0 0	x x x x x	x x x x		39.0 39.0 x 39.4 x	$\begin{array}{c} x\\x\\x\\x\\0&21\\x\end{array}$	S S LS OL L	P P P P C	1,930 2,005 2,125 2,130 3,500	30 12 15	D D D D	Ora	4,900
1045 1046 1047 1048 1049 1050	5 20 10 6 1 2	3 1 0 1 0 0	0 2 0 1 1 0	0 0 0 0 0	4 18 10 5 0 2	0 0 0 0 0	x x x x	x x x x		37.0 37.0 x x	x x x x	S S L L	P P P	2,845 3,170 3,270 3,290	10 9	A A A	MisL	3,382
1051 1052 1053 1054	1 1 4 1	0 0 0 0	0 0 1 0 0	0 0 0 0	1 0 1 0	0 0 0 0	x x x	x x x	w	28.0 x	$\begin{bmatrix} x \\ 0.21 \\ x \end{bmatrix}$	L S L	P P P	2,715 610 3,120	12 10	ML x x	MisL Dev MisL MisL	2,725 1,893 3,18
1055 1056 1057 1058	69 2 67 0	0 0 0	0 0 0	0 0 0	66 2 63 0	0 0 0	x x x	x x x	11	36.1 38.4 x	0.13	S L	P P P	2,465 3,070 x	20	$_{\mathrm{A}}^{\mathrm{AL}}$	WHS12	3,331
1059 1060 1061	0 4 6	0 0 4	0 0 0	0 0	1 3 0	0 0 0	x	x		37.8	0 14	S	P	2,460	R 3	A	MisL Ord	2,908 1,548
1062 1063 1064 1065	1 5 10 6	0 4 1 1	0 0 0 1	0 0 0	0 0 10 5	0 0 0	x 400 x x	x x x x		38 0 x	x x x	S L S S	P C P	250 1,000 3,140 400	10 15	A A ML ML	MisL Pen	3,419
1066 1067 1068 1069 1070 1071	58 32 22 11 0 4	17 1 0 4 0 3	0 0 0 0 0	0 0 0 0 0	56; 28; 2 10; 0 7	0 0 0 0 0	x x x x 1,100	x x x x		39.0 38.6 x 38.0	0.13 x 0.32 x x	S S L L L	P P P P	2,060 2,710 2,760 2,810 2,825	20 8 8	A AC AC AC	MisL	3,156
1072 1073 1074 1075 1076 1077	9 4 1 1 1	9 1 1 0 0	0 0 0 0 0	0 0 0 0 0	9 3 1 1 0 0	0 0 0 0 0	x x x	x x x x		$\begin{array}{c} x \\ 38.6 \\ 37.6 \\ 37.6 \end{array}$	0.12 0.24 0.24	S S L L	P P P	2,310 2,535 2,870 3,080	10 10 9	A A AC AC	MisL	3,130
1078 1079 1080	0 7 4	$\begin{array}{c} 0 \\ 3 \\ 2 \end{array}$	0 1 0	0 0	1 6 4	0 0 0	x	x		x	x	s	Р	2,680		AL	MisL	2,942

Table 1 -- Continued

		Producing Formation		Oi	l Productio	n	Gas I	roductio)n
					Thousands	of Bbl		Million Cu Ft c	
Line Number	Field, County ^a	Name and Age b	Date of Discovery	Area Proved, Acres	To End of 1948	During 1948	Area Proved, Acres	To End of 1948	During 1948
1081 1082 1083 1084		Lower Ohara; MisL ²⁷ Rosiclare; MisL ²⁸ McClosky; MisL		30 30 30		x	0 0 0	0 0	0
1085 1086 1087 1088 1089 1090 1091 1092 1093 1094	Williams, Jefferson Willow Hill East, Jasper Woburn, Bond. Woburn South, Bond. Woodlawn, Jefferson.	Aux Vases; MisL McClosky; MisL Bethel; MisU "Trenton"; Ord Cypress; MisU Bethel; MisU Aux Vases; MisU Rosiclare; MisL McClosky; MisL ²⁷ Devonian; Dev	1948 1946 1940 1947 1940	10 190 260 280 1,730 40 1,710 190 10 20	149 558 67 11,009 x x x x x	85 18 41 672 x x x x x	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
1096 1097 1098 1099	Xenia, Clay Zenith, Wayne. Total for fields discovered after January 1,	9	1941 1948	20 20	1	2	0	0	0
1100	1937 ⁷²			226,800 339,920	903,536 1,385,363			7,347.5 9,829.3	

1Pressures in Southeastern Illinois oil fields are estimated bottom hole pressures reported in previous Survey Publications.

2Gravities given prior to 1936 (except those in parentheses) were from data for the year 1925 furnished by the Ohio Pipe Line Company (formerly called the Illinois Pipe Line Co.). Gravities in parentheses are for particular samples.

3Discrepancies between numbers of original completions and present producing wells in individual pays are due to reworking of wells.

4Abandoned 1945.

3Total of lines 2, 6, 10, 11, 15, 22, 28, 33.

4Includes Kibbie, Oblong, Robinson and Hardinsville.

7Includes Swearingen gas.

*Total of lines 31, 44, 45, 46, 47, 48, 49.

9Wells producing from more than one pay. See Table 7.

19Total of lines 51 and 63.

19Total of lines 51 and 63.

19Total of lines 1, 37, 50, 64 and 65.

19Abandoned 1923.

14Abandoned 1933.

15Abandoned 1934.

16Abandoned 1925, revived 1942.

¹⁶Abandoned 1925, revived 1942.

¹⁷Abandoned 1935.

¹⁸Abandoned 1934.

¹⁹Abandoned 1919.

²⁰Abandoned 1921.

²¹Abandoned 1921, revived 1942.

²²Abandoned 1930, revived 1939.

²³Abandoned 1937.

²⁴Ges not used uvii 1905, shandoned 1930.

**Abandoned 1937.

**Abandoned 1937.

**Abandoned 1900.

**Total of lines 81 to 109 inclusive.

**Producing in multiple pay wells only.

**Produced in multiple pay wells only.

**Produced in multiple pay wells only. Not producing now.

**Abandoned 1946.

**Abandoned 1947.

**Abandoned 1948.

**Albandoned 1949.

**Albandoned 1947.

**Abandoned 1947.

Table 1 - Continued

		of Vells		P	Wells roducing Dec. 194	ξ ^f 8	Pres	rvoir sure, si ¹			acter of il ^h		Prod	ieing Fo	ormati	on	Deepest Tested End of	n to
		19	48		Oil³													
Line Number	Completed to End of 1948	Completed	Abandoned	Flowing	Artificia Lift	Gas	Initial	Avg/End 1948	Secondary Recovery f	Secondary Recovery Gravity A.P.I.2	Sulphur, Per Cent	Character i	Porosity, Per Cent?	Depth to Top of Producing Zone, Ft. k	Productive Thickness Avg. Ft. ! Net	Structure	Name	Depth of Hole, Ft.
1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094	0 0 1 2 1 17 288 7 173 3 169 0 1	0 0 0 1 1 11 11 0 1 11 11 10 0 0	0 0 0 1 0 1 0 0 7 0 5 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1 1 1 16 26 7 138 1 127 4 4 0 0	0 0 0 0 0 0 0 0 0 0 0 0				x x x x 36.4 38.7 x 38.4 x x x x x x x x x x x x x x x x x x x	x x x 0.20 0.27 0.16 x x x	LLL SLSL SSSL	P P P P P P P P	2,800 2,780 2,900 2,570 2,645 1,020 3,170 1,800 1,975 2,205 2,200	4 6 6 6 12 10 25 10 15 3	AC AC AC AC A A A A A A A A	Dev MisL Dev Ord Dev	4,578 3,281 2,454 3,257 3,746
1095 1096 1097 1098 1099	0 0 1 1 1 18,847 39,965	0 0 0 1 1,255 1,314	0 2 0 0 396 862	0 0 0 0 45 45	1 5 1 1 1 1 1 1 1 1 5 26,087	0 0 0 0 25 28	x x x	x x x		35.2 x	0.19 x	L S L	P P	3,700 2,785 2,970	10 13 7	A A MC	Dev MisL	4,698 3,010

³⁶Abandoned 1940.
³⁷Abandoned 1943, revived 1948.
³⁸Includes Leech Consolidated.
³⁸Abandoned 1946.
⁴⁸Abandoned 1941.
⁴²Abandoned 1944.
⁴²Abandoned 1946.
⁴³Abandoned 1942, revived 1943, abandoned 1944.
⁴³Abandoned 1940, revived 1941. Includes Mason South.
⁴³Abandoned 1945.
⁴⁴Includes Sims.

⁴⁹Abandoned 1945.
46Includes Sims.
47Abandoned 1942, revived 1943.
48Abandoned 1943, revived 1945, abandoned 1947.
49Abandoned 1946.
49Abandoned 1947.
41Abandoned 1941.

Abandomed
 SeReef.
 Abandoned
 Abandoned
 Bandomed
 Maud
 Meludes
 Maud
 Mental
 Meludes
 Maud
 Meludes
 Maunie

JAbandoned 1947.
JABandoned 1948.
JUlinois portion only.
Abandoned 1948.
JABandoned 1948.
JABandoned 1947.
Abandoned 1940.
Abandoned 1946.
Abandoned 1946.
Abandoned 1942.
Abandoned 1943.
Abandoned 1947.
Abandoned 1947.
Abandoned 1947.
Abandoned 1947.
Abandoned 1944.
Abandoned 1944.
Abandoned 1944.
Abandoned 1944.

Abandoned 1946.
 Through a Montage of Mines Monthly
 Plucludes West Frankfort South.
 Production totals from U. S. Bureau of Mines monthly

report.

⁷³Anticline-lens.

⁷⁴Anticline with oil accumulation due to change in character of stratum.

Table 2A — Discovery Wells of New Fields

No. Wells Producing in Pool, Dec. 31, 1948	
Date of Com- pletion	10-26 2-3 2-3 2-4 3-9 3-9 1-13 3-9 1-13 3-14 3-14 3-14 3-14 3-14 3-14 3-14
Initial Production (Barrels)	8.6; 160 116 116 116 116 116 116 116 117 110 110 110 110 110 110 110 110 110
Depth to Top Feet	3,052.3,082 2,232.7 2,232.7 3,005.32.7 2,871 2,871 2,282 2,2
Producing Formation	Lower Ohara; Rosiclar: Desonian Desonian Desonian Desonian Desonian McClosky McClosky McClosky McClosky Aux Vases Aux Vases Bethel Pemsylvanian Cypress McClosky
Total Depth Feet	3,070, 3,146 3,094 3,094 3,094 3,094 3,094 2,875 2,808, PB2,676 2,812,299 2,822 2,822 2,822 2,823 2,823 2,823 2,824 2,832 2,832 2,832 2,832 2,833 2,991 3,091 3,091 3,091 3,091 3,091 3,091 2,796, PB2,885 2,833 2
Location	21-68-4E 21-68-4E 21-31-1E 21-31-1E 22-48-4W 23-48-4W 23-48-4W 23-8-1E 24-20-13W 25-18-18-18-18-18-18-18-18-18-18-18-18-18-
Company and Farm	Taylor & Schumaker, U.S. Coal & Coke I Natl. Assoc. Pet., Simon X I Natl. Assoc. Pet., Simon X I Natl. Assoc. Pet., Simon X I Natl. Assoc. Pet., I H. Lawrence I Natl. Assoc. Pet., J. A. Enrest I Natl. Assoc. Pet., J. A. Enrest I Durbar. J. Repking I Mette I Cities Service, Bryant I Natl. Assoc. Pet., Garrison I Natl. Assoc. Pet., Garrison I J. L. Nary, C. Henke I I Cities Service, Bryant I Natl. Assoc. Pet., Garrison I J. L. Nary, C. Henke I O. D. Sharp, G. Wells I George & Witcher, M. Monroe I O. D. Sharp, G. Wells I Googree & Witcher, M. Monroe I O. Weston, Hasveniake I D. Weston, Hasveniake I D. Weston, Hasveniake I Narbor I O. Warbor I Narbor I Narbor I Disnond Oil Exploration, Toliver-Nords Comm. I Schneutz I Disnond Oil Exploration, Toliver-Johnson Drig., G. E. Mathis I Calvert & Willis & Aurora, H. Schneider I H. E. Howard, A. R. McLaughlin I Gulf, W. S. Rush I
County	Franklin Christian Christian Christian Christian Christian Christian Christian Ferry Berry Maffische han Wayne Wabash Wabash Wabash Wabash Wabash Wabash Wabash Wabash Chawre Edwards Edwards Edwards Chay Clay Clay Clay Clay Clay Clay Clay Cl
Pool	Akin Weet Assumption North Cag City North Cag City North City South Bivide South Evers South Lancaster North Lancaster North Lancaster North Mand Central Mayberry North Mand Perry North Mand Perry South Parkersburg South Parkersburg South Raills Prairie Parkersburg South Raills Prairie Rodelsenger South Riffle Riffle Rodelsenger South Riffle Riffle Rodelsenger South Riffle Riffle Rodelsenger South Riffle Rif

a/Oil and Water. ** Consolidated with Maud North, December 194%

Table 2B — Discovery Wells of Extensions to Pools

Date of Com- pletion	-0 x 70 8 8 6 -1 1 4 7 -1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Initial Production (Barrels)	3.7 100 100 100 100 100 100 100 10
Depth to Top, Feet	89.17888
Producing Formation	MeClosky MeClosky Aux Vases Aux Vases Aux Vases MeClosky
Total Depth Feet	2,946 3,151 2,511 2,511 2,551 3,253,PB3,075 3,637 2,838 2,838 2,838 2,838 2,838 2,838 2,838 2,838 2,838 2,838 2,846 2,184 2,199 3,300 2,199 2,19
Location	24N-14W 2528-88 2528-88 265N-75 265N-75 265N-75 265N-76 265N-7
Company and Farm	Black, Kocher 1 Carrial Pipe Line et al, Boze 1 Arvin Delg., Hubble 1 Baldwin & Pruett, Marshall 1 Calvert & Willis, Mayne 1 Nolar, Reed-Twist 1 Salmian Bross, Halloway 1 Bell Bross, Warpople 1 Bell Bross, Warpople 1 Bell Bross, Warpople 1 Bell Bross, Warpople 1 Bell Bross, Marshall 1 Bell Bross, Marshall 1 Bell Bross, Marshall 1 Androin, Bohwell 1 Martin, Bohwell 1 Martin, Bohwell 1 Martin, Bohwell 1 Androin, Bohwell 1 Martin, Bohwell 1 Salgret, Moder et al, Pullips 1 Collins Bross, Messman 1 Calvert & Willis & Ashland, Egli 1 Wandenbark, Big Barm 1 Miller Drig., Johnson 1 Ross, Ankerbrandt 1 Mortiner, Peters 1 Saliss, Smith 1 Phillips, Book 1 Continental, Schrodt 1 Bromen Chekins 1 Martinda, Drake 1 Mosebach, Burnal, Burbare-Rebstock 1 Schips, Swet 1 Martinda, Swet 1 Mosebach, Burnal, Burbare-Rebstock 1 Schips, Weet 1, Von Almen Heirs 1 Schips, Weet 1 Mosebach, Burnal, Barbare-Rebstock 1 Schips, Weet 1 Wright, McLaughlin 1 Froderman-Connelly, Carter 1 Redwine, MoGee 1 George & Wather & Aurora, Wilcox 1 George & Wather & Aurora, Wilcox 1
County	Richland Wayne Wayne Wayne Clay Clay Clay Edwards Hamilton Wayne Clay Edwards Hamilton Hamilton Hamilton Hamilton Hamilton Hamilton Jefferson Eichland Jefferson Eichland Jefferson Wayne
Pool	Amity Bearnington Bennington Bennington Bennington Buble Grove Consolidated Bungay Consolidated Bungay Consolidated Clay City-Noble Consolidated Clay City-Noble Consolidated Clay City-Noble Consolidated Dahlgen Duvide East Dundas East Dundas East Dundas East Belief, North Fairfiel Goldengate Consolidated Haff Moon Haff Moon Heald East Imman East Imman East Imman East Imman East Imman East Mand Mand North Salories Springs Consolidated Salories Springs Onsolidated Salories Springs North Thompsonville North Toliver East

Table 2C - Discovery Wells of Additional Producing Zones in Pools

Date of Completion of Discovery Well	22-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33-4-4-33
Production (Barrels)	22; 7 44; 2 45; 33 40; 33 40; 77ac 1175; 8 42; 140 42; 140 113; 8 42; 140 100 100 115; 5 116 116 117 118; 16 118; 16 118; 16 119; 172 119; 172 172 173 173 174 175 175 175 175 175 175 175 175 175 175
Depth to Top, Feet	2, 23, 23, 23, 23, 23, 23, 23, 23, 23, 2
Producing Formation	Salem Aux Vases* Lower Ohard Cypress Bethel Rosiclar McClosky Bitchl Lower Ohard Bethel Lower Ohard Cypress Edpensylvanian Site. Rennsylvanian Site. Genevieve Fornsylvanian Site. Genevieve Cypress Gypress Gypress Gypress C
Total Depth, Feet	3,756 Salea 3,425 Aux 3,165 B.245 B.258 B.2473 B.2589 C.277 C.2773 B.2471 C.2773 C.2773 B.2471 C.2773 C.277
Location	33.28.7E 19-18-14W 8-3N.8E 19-18-14W 17-18-40 17-18-40 11-18-40 11-18-13W 34-18-13W 19-18-18-18-18-18-18-18-18-18-18-18-18-18-
Company and Farm	Weinert, Morlan "A"-2 Phillips, Bone 1 Phillips Annuary 1 Phillip
County	Hamilton Edwards Clay White Lower Lower Clay White Gallatin Clay Wabash
Pool	1 Aden Consolidated 2 Belle Prairie 3 Bone Gap South 4 Clay City North 5 Crossville 6 Divide East 7 Divide East 7 Divide East 9 Inman West 10 Iola South 11 Maud 12 Maud 12 Maud 13 Maud North 14 Mt Carmel West 15 Mt Carmel West 16 New Harmony-Keensburg Consol. 17 Comaha. 18 Rassport South 18 Rassport South 19 Robester 20 Sailor Springs West 21 Shattue 22 Whittington West 23 Whittington West 24 Whittington Water 4 Divide Gas And Consol. 25 Woodlawn. 26 Woodlawn.

Table 2D — Selected List of Dry Tests

Date of Completion	8-31 12-28 16-12-28 16-12-38 16-13-38 17-28 11-28 11-28 11-3
Depth to Top, Feet	3,384 1,096 2,510 2,510 2,510 2,094 4,4,81 2,790 2,790 2,790 2,790 2,790 2,790 2,790 1,885 4,31 2,282 1,885 1,885 4,31 2,282 2,283 1,885 1
Deepest Formation	"Trenton" "Trenton" "Trenton" "Trenton" Devonian Devonian Devonian Devonian St. Peter Maquoketa St. Peter Martinoketa St. Peter "Trenton"
Total Depth, Feet	3.561 1.170 1.170 1.170 1.170 1.180 1.180 1.180 1.180 1.180 1.180 1.180 1.180
Location	20-5N-2W 23-2N-7E 23-2N-7E 23-13N-3W 29-13N-1W 23-3N-5E 23-3N-5E 24-15N-3E 23-10S-3W 23-3N-3W
Company and Farm	Sun, Bauer I Hays, Kothmond I Hays, Richmond I Natl. Assoc. Pet. & Cont., Peabody Coal "B" I Schaffer & Granholm, Robinson I Phillips, Randall 5 Direkson, Kleystuber I Wright, Femyles I Landon, Bareither I Landon, Bareither I Lambert, Andrews I Lambert, Andrews I Lambert, McCutchen I Bereze and Bayless, Hiser I Kerwin, Mann I Penteost, Pope I Natl Assoc. Pet., Borgic I Pan Handle Eastern, Munford 21-1 White, Goza I White, Goza I
County	Bond Champaign Christian Christian Christian Clark Clay Clinton Cloles Douglas Edgar Hancock Macon Macon Macon Macon Marion Marion Marion Marion Marion Marion Mottgonery Pulse Pulse Pulse Pulse Union
Pool	1 2 3 4 4 4 4 5 5 5 5 5 5

*Plugged back to Devonian production.




FIG. 3 — GENERALIZED GEOLOGIC COLUMN FOR SOUTHERN ILLINOIS OIL REGION SHOWING BY BLACK DOTS PRINCIPAL OIL AND GAS PRODUCING STRATA.

abandoned Pike County gas pool. In the Colmar-Plymouth pool in McDonough County wells were drilled to the St. Peter and Maquoketa formations. The discovery well of the Assumption pool was drilled to the "Trenton" and then plugged back to the Devonian, and dry Devonian tests were completed in Kenner West pool in Clay County and Mattoon pool in Coles County.

A selected list of dry wildcat wells for 1948 is given in Table 2D.

The total footage of wildcat wells drilled in 1948 was 1,611,197 feet of which 216,621 feet, or 13.4 pct were drilled in successful wells.

Geophysical exploration during the year included use of seismograph, gravimeter, and electrical resistivity instruments. The number of geophysical parties operating throughout the year, by months and methods, is given in Table 6.

DEVELOPMENT

Wells were completed in 48 counties in Illinois in 1948, six more than in 1947. Eighty-three pct of the wells were concentrated in 12 counties, or only 25 pct of the total number of counties in which there was drilling. Of the 1.295 successful wells, 710, or about 55 pct, were concentrated in four counties, Wayne, Clay, Wabash, and Gallatin. Clay County ranked first in number of new pools with five discovered during the year; Wayne and Wabash were second with three each. The new pool with the largest number of producing wells completed at the end of the year was Rochester pool in Wabash County, with the second and third largest pools, Sailor Springs West and Clay City North, in Clay County.

Table 3 — Illinois Completions and Production Since January 1, 1936

	Number	Number	Produ	uction (M l	Bbl.)
Period of Time	of Comple- tions ^a	of Producing Wells	New Fields ^b	$\begin{array}{c} \text{OId} \\ \text{Fields}^{b}, {}^{c} \end{array}$	Total d
1936	93	52			4,445
1937	449	292	2,884	4,542	7,42
1938	2,536	2,010	19,771	4,304	24,07
1939	3,617	2,970	90,908	4,004	94,91
1940	3,755	3,080	142,969	4,678	147,64
1941	3,807	2,925	128,993	5,145	134,13
1942	2,017	1,179	101,837	4,753	106,59
1943	1,791	1,090(20)	77,581	4,675	82,25
1944	1,991	1,229(12)	72,946	4,467	77,41
1945	1,763	1,094(15)	70,839	4,371	75,21
1946	2,362	1,387(17)	70,174	5,123	75,29
1947	2,046	1,102(22)	61,455	5,004	66,45
1948: Jan	146	88(2)	4,956	379	5,33
Feb	176	102(3)	4,670	372	5,04
Mar	105	63(1)	4,964	444	5,40
April		63(2)	4,674	439	5,11
May	238	130(2)	4,954	423	5,37
June	236	136(2)	4,879	457	5,33
July	279	145(1)	5,051	458	5,50
Aug	217	107(4)	5,168	440	5,60
Sept	215	106(1)	4,940	440	5,38
Oct	302	149	5,198	443	5,64
Nov	212	113(2)	4,979	433	5,41
Dec	235	114(1)	5,051	457	5,50
	2,489	1,316(21)	59,484	5,185	64,66

- a Includes only oil and gas producers and dry holes.
- b Production figures based on information furnished by oil companies and pipe line companies.
 - $^{\circ}$ Includes Devonian production at Sandoval and Bartelso.
- ^d From the U. S. Bureau of Mines.
- Figures in parentheses refer to number of producing wells included in total which had previously been completed as dry holes.

The average depth of wells drilled for oil and gas in the state in 1948 was 2,615 feet, or about 45 feet deeper than in 1947. Depths of producing wells ranged from about 300 feet to about 4,050 feet.

PRODUCTIVE ACREAGE

The area of proved production in the new pools (discovered since 1936) increased from 220,070 acres at the end of 1947 to 230,600 acres at the end of 1948 (Table 1), an increase of 10,530 acres.

Table 4B — Wildcat Far Wells Classified by Method of Location

Method of Location	Total	Producers	Percentage Successful
Geology	179	24	13.4
Geophysics Geology & Geophysics	3 14	2 2	66 7 14.3
Nonscientific	32	0	0
Unknown	3	0	0
Total	231	28	12.1

Of this increase in area, 970 acres were added by gas wells and 9,560 acres by oil wells. Of the added oil acreage, 1,370 acres are in 26 of the 28 new pools discovered during 1948, and 8,190 acres are in developments and extensions of pools discovered earlier. Two of the best pools discovered in 1948, Maud West and Maud Central, were consolidated with Maud North during the year, so acreage for those two pools is included in the figure for developments and extensions.

ESTIMATED PETROLEUM RESERVES

It is estimated by the Illinois Geological Survey that drilling during 1948 proved 49.9 million bbl of oil, 3.2 million in the new pools discovered during the year and 46.7 million in older pools. About half of the total new oil was added to pools discovered during the three years 1937 (largely Clay City-Noble Consol.), 1940 (Inman East), and 1941 (Rural Hill, Sailor Springs Consol. and Grayville West). Of the oil found during the year, 9.2 million bbl were also produced this year, leaving 40.6 million additional reserves as of January 1, 1949. Divided by geologic system, 2.8 pct of the ultimate production of wells completed in 1948 is from the Pennsylvanian, 93.1 pct from the Mississippian, 0.2 pct from the

Table 4A — Wildcat Wells Drilled in Illinois in 1948

	Wildcat Near			Wildcat Farb		Total	Total	Percentage
Total	Producers	Percentage Successful	Total	Producers	Percentage Successful	Wildcats	Producers	Successful
397	47	11.8	231	28	12.1	628	75	11.9

a One half to two miles from production.

b More than two miles from production.

Table 5 — Summary of Drilling and Initial Production in Illinois for 1948 (1)

	Number of Wells Drilled in 1948		Total Initial Production		Footage Drilled in 1948		
County	Total	Total Producing		Oil	Gas in Millions of Cubic	Total	Producing
	Completions	Oil	Gas	In Bbls.	Feet	Total	Producing Wells
Alexander	.1	0	0	0	0	1,020	0
Bond	15	2	0	260	0	29,238	5,126
Brown	1	0	0	0	0	735	0
hampaign	1 5	0	0	147	0	1,170	4 070
Phristian Plark	37	2 10	0	147 118	0	12,932	4,670
lay	310	183	0	36,765	0	21,574 914,032	11,352
linton	42	24	0	2,653	0	103,151	527,061 71,768
oles	49	26	1	1,745	.027	86.052	51.062
rawford	18	5	2	102	711	22.044	7,885
umberland	16	7	ő	52	0	16,357	4,453
ouglas	10	0	0	0	0	564	1,100
dgar	5	1	0	4	0	2,791	457
dwards	63	27	0	2.104	ŏ	184,604	74.422
ffingham	33	8	0	235	o l	86,114	20.068
ayette	12	6	0	385	ŏ	20,650	9,140
ranklin	127	78	ő	8,492	ő	384.809	233,359
allatin	217	149	1	21,090	. 930	514,930	344,82
reene	i	0	Ô	0	0	400	011,02
amilton	111	70	ő	6,313	0	368,032	226,085
ancock	2	0	0	0	0	1,677	(
ardin	3	0	0	Ō	0	4,252	1
ackson	3	0	0	0	0	5,895	
asper	118	49	0	7,235	0	315,629	134,475
efferson	89	39	0	4,120	0	238,452	100,690
awrence	35	12	0	256	0	66,158	21,080
CDonough	3	1	0	1	0	1,765	438
lacon	1	0	0	0	0	2,308	(
[acoupin	1	0	0	0	0	668	(
ladison	43	9	0	462	0	39,992	9,846
arion	45	17	0	728	0	99,361	33,51
ontgomery	15	2	0	80	0	18,658	1,19
lorgan	4	1	2	3	4.550	3,481	3,15
oultrie	1	0	0	0	0	2,001	
eoria	1	0	0	0	0	501	
erry	9	1	0	22	0	16,534	3,73
ike	1	0	0	0	0	2,226	1
ulaski	1 1	0	0	0	0	1,150	01 5 50
ichland	156	71	0	12,622	0	476,824	215,58
Clair	4	7	0	254	0	5,269	5,239
aline	5	0	0	0	0	15,749	9
chuyler	1	0	0	0	0	760	7 000
helby	10	4	0	114	0	19,589	7,090
nion	1 210	170	0	15.400		1,500	102.200
abash	312	178	0	15,490	14 950	734,634	403,366
Vashington	33	100	3	1,059	14.250	38,096	24,538
Vayne	342	199	0	14,770	0 044	1,093,177	623,353
Vhite	182	88	1	6,560	2.044	536,933	243,842
	2,489	1,285	10	144,241	22.512	6,514,438	3,422,866

⁽¹⁾ Does not include input wells, salt water disposal wells, or old wells worked over.

Devonian, 1.2 pct from the Silurian, and 2.7 pct from the Ordovician. Nearly half of the new oil came from only three counties — Clay, Wayne, and Gallatin.

Extension of fluid injection programs, in particular the water-flood operations at Maunie South, Siggins, and Bellair, increased the estimated proved reserve by 2.4 million bbl previously considered unavailable. Revisions of previous esti-

mates added approximately 4.2 million bbl to the total reserve figure. The addition to the state's ultimate production due to drilling, secondary recovery operations, and revisions was thus 56.5 million bbl. As the production for 1948 was 64.6 million, the net withdrawal was 8.1 million, and the state's total estimated reserves were reduced from 505.8 million bbl at the beginning to 497.7 million bbl at the end of 1948.

Table 6 — Geophysicial Operations in Number of Crews Working

Month	Method			
WORTH	Seismograph	Gravimeter	Resistivity	
Jan	6	1	1	
Feb.	6	1	1	
Mar	6	1		
Apr	6	1		
May	6	1		
June	4	1		
July	5	1		
Aug	6	I		
Sept	6	1		
Oct	5			
Nov	5 5 3			
Dec	3			

ECONOMIC DATA

The price of crude oil throughout 1948 was \$2.77 per bbl in Illinois. The value (at the wells) of the crude oil produced in the state during the year was approximately \$179,131,000.00.

The crude oil produced during 1948 in Illinois, amounting to 64,669,000 bbl, is 19.5 pct of runs-to-stills for refineries in the Central Refining district (Illinois, Indiana, Kentucky, Michigan, western Ohio and Wisconsin).

Stocks of crude petroleum on hand in Illinois on December 31, 1948, were 15,461,000 bbl as compared with 11,372,000 bbl on December 31, 1947. Stocks of refined products in the Central Refining district, according to the U. S. Bureau of Mines, were as follows:

Product	Dec.31, 1948 Bbl.	Dec.31, 1947 Bbl.
Gasoline Kerosene Gas, oil, and distillate fuel Residual fuel oil	9,676,000	17,046,000 2,861,000 7,297,000 5,072,000

GAS AND GAS PRODUCTS

Slightly less than 16 billion cu ft of casinghead gas, including essentially all the gas produced in oil wells in Benton, Dale-Hoodville Consol., and Salem fields, most of it from Louden and New Harmoney-Keensburg Consol., and part of it from Phillipstown Consol. and Southeastern Illinois fields, was processed in Illi-

nois natural gasoline plants during 1948. The total yield of natural gasoline and liquefied petroleum gases (butane and propane) was 148,995,000 gallons¹ compared with 162,504,000 gallons in 1947. A small amount of this production was from the Indiana part of New Harmony field. The residue gas after extraction is estimated as about 13 billion cu ft. of which approximately half was used as plant fuel or in generating electricity for field use. About 4.1 billion cu ft of residue was injected into the producing strata for pressure maintenance or repressuring, about 2 billion cu ft was returned to leases for pump and heater fuel, and minor amounts were sold and flared.

Estimates of the production and utilization of gas in the oil fields which have no natural gasoline plants can be only rough approximations. Produced gas-oil ratios of typical Aux Vases and McClosky wells metered during the first month of production are 650 to 850 cu ft per bbl. The ratios rise to 1,000 to 3,000 cu ft in wells one to three years old. Produced gas-oil ratios in other pays are generally considerably lower. The ratios are highest in the central and southeastern part of the productive region, lowest on the northern and western flanks of the Illinois Basin, although Matton pool with a present produced ratio of nearly 2,000 cu ft per bbl is located at the northern limit of production and forms a notable exception. About 45 billion cu ft of unmetered gas was produced during 1948 in addition to the 16 billion passing through the gasoline plants.

Estimates of total lease utilization of the unmetered gas for pumps, heater tanks, building heat, and electric power production range from 7 to 15 billion cu ft. The low estimate is based on power plant figures and on a few measurements of actual pump consumption by positive displacement meters; the higher estimates are influenced by the gasoline plant residue returned to leases and there uti-

¹ Preliminary figures, U. S. Bureau of Mines, Mineral Industry Surveys.

 ${\it Table 7-Fields With Wells Producing From More Than One Formation}\\$

Field	County	Total Number of Combination Wells	Number of Wells and Producing Formations
Ah Lake Aden Consolidated Aden South Akin West Albion Consolidated .	Gallatin Hamilton, Wayne Hamilton Franklin Edwards	1 32 1 1 41	1R:A 32AM 1AM 1LRM 3MaBr, 2BrBi, 1BrBiB, 1BrDA, 2BrH, 2BrA, 8BiW, 1BiWTM, 1BiWRe, 1BiWReA, 1BiH, 1B:B, 1WBReA, 1WReAM, 1WReA, 1WReAM, 1WL, 1WM, 1CA, 1CAM, 1BReA, 6BA, 1BM, 1ReAM, 1CAM, 1LM, 1RM
Albion East Barnhill. Belle Prairie. Beman Benton North Bible Grove Consolidated Bible Grove North Blairsvills. Boyd. Browns	Edwards Wayne Hamilton Lawrence Franklin Clay, Effingham Effingham Hami ton Jefferson Edwards, Wabash	3 1 2 3 9 2 4 41 11	1AM 1AM 2AR 1PA, 1AL, 1LM 8CM, 1CBM 2CM 4AM 39BA, 2BAL 2CB, 8CM, 1CBM
Browns South Bungay Consolidated Calhoun Consolidated Calhoun North . Carmi North .	Wahash Hamilton Wayne, Richland Richland White	1 3 15 1	1BA 3AM 7LM, 8RM 1RM 1CA
Centerville East Centralia Clay City-Noble Consolidated	White Clinton, Marion Clay, Wayne, Jasper, Richland	3 25 202	17L, 1TCM, 1TC 25CB 1CA, 1CAM, 1CR, 12CM, 4AL, 3ALR, 1ALRM, 2ALM, 6AR, 14ARM, 78AM, 2LR, 8LRM, 17LM,
Coil West Concord. Concord Central Dale-Hoodville Consolidated	Jefferson White White Hamilton	3 19 1 93	52RM 1AL, 1ALM, 1LM 1TM, 1CAM, 17AM 1CAM 4TC, 2TCBA, 1TCA, 4TA, 1CB, 6CBA, 1CA, 65BA, 3BAM, 5PA, 1RM
Divide East Divide West Duhois West Dundas East Ellery. Ewing Flora Friendsville South Goldengate Consolidated Grayville West Herald Inman East Inman North Inman West Iola Consolidated	Jefferson Jefferson Washington Richland, Jasper Edwards, Wayne Franklin Clay Wabash Wayne, White White White, Gallatin Gallatin Gallatin Clay, Effingham	1 1 1 1 1 5 9 16 1 5 5 21 2 2 8 5 5 2	6CBA, 1CA, 65BA, 3BAM, 5PA, 1RM 1AM 2RM 1CB 1RM 1AM 1ALM 5BM 6BiC, 3CP 14AM, 2ARM 1BA 1PaPA, 1CA, 1AR, 1AM, 1LM 2C1T, 1PaW, 1WC, 3TC, 14HC 2TC 1PaT, 7TC 1PCBA, 1CPBA, 25BA, 2BAR, 1BARM, 1BAM, 1BAM, 1BRM, 1ARM,
Iron Irvington Johnsonville Consolidated Keenville Kenner West King Lancaster Lancaster Central Louden	White Washington Wayne Clay Jefferson Wahash, Lawrence Wabash Fayette, Effinghain	3 6 43 1 14 10 1 1 627	1AM, 4RM 1TH, 1CB, 1CM 6CB 2BM, 33AM, 5ALM, 3LM 1LM 12BC, 1CM, 1BM 8AL, 1AK 1LM 1LM 222CP, 187CPB, 10CPBA, 2CPA, 125CB, 10CBA, 2CA, 13PBA, 2CA, 13PBA, 46PB, 2PA, 8BA
Markham City West Mattoon. Maud Maud Maud North Consolidated Maunie North. Maunie South. Miletus. Mill Shoals. Mt. Carmel	Jefferson Coles Wabash Wabash White White Marion White, Hamilton, Wayne Wabash	12 112 5 2 3 3 1 9	125B, 160B, 2CA, 157BA, 2CA, 13PBA, 46FB, 2FA, 8BA 12AM 12AM 15CA, 97CR, 7AR, 2RM, 1CRM 1BiC, 1CT, 2TM, 1CB 2CL 1PC, 1PA, 1PR 1PaD, 1TC, 1CB 1BA 1AR, 7AM, 1RM 1PCT, 1PcC, 1BrJ, 1BrC, 1BiW, 16BiC, 2BiB, 2BiCM, 1BiM, 1JC, 3TC, 1TB, 1JaC, 1CB, 11CM, 2CL, 1BM, 1LR, 1LM

Table 7 — (Continued)

Field	County	Total Number of Combination Wells	Number of Wells and Producing Formations ^a
New Harmony-Keensburg Consolidated	White, Wabash, Edwards	330	1PeBA, 2BiC, 1BiCA, 1BiB, 1DA 1DM, 3WT, 4WTC, 1WTCBA 2WTCB, 13WC, 13WCB, 11WCBA 2WCBAL, 3WCA, 1WCAM, 1WCM 1WB, 1WAM, 3TC, 1TCB, 3TCB, 1TCP, 3TCA, 1TCAM, 1TCM 1TP, 1TB, 1TA, 89CB, 74CBA 18CA, 1CPB, 1CBAL, 1CBL, 2Cl 3CM, 3CAM, 2CBM, 1CP, 5PP 3PBA, 11BA, 2BAM, 1BRM, 1BM 12PA, 1AL, 12AR, 6AM, 1API 1RM
New Harmony South (Ind.)	White	2	2DPa
		6	3TC, 1TM, 1CA, 1CAM
Olney	White Richland	1 3	1LM 3PaT
Omaha	Gallatin Richland, Edwards	10	1CB, 5CM, 1LM, 3RM
Passport		2	2RM
Phillipstown Consolidated	White, Edwards	36	1PeD, 1PeT, 3PeB, 2CIT, 1DC 4DT, 1DA, 2BiT, 1BiC, 1PaC, 1TF 2TA, 1PA, 1PM, 8BA, 2BM, 2BAM 1BRM, 1RM
Roaches.	Jefferson	1	1RM
Roaches North	Jefferson	2	1BR, 1BM
Rochester Roland .	Wabash White, Gallatin	2 41	2PeW 1PeB, 1ClWP, 1WC, 1WCBA, 1W1 1WPA, 9WB, 1WBA, 9WA, 3CA 8CB, 1CBA, 1PAM, 1BM, 1ALM
Rural Hill .	Hamilton	67	1RM 1PA, 1CL, 2CAL, 22AL, 12ALM 1AR, 23AM, 1LM, 4PAL
Sailor Springs Consolidated Salem	Clay Marion.	11 1024	6TC, 2CB, 3LM 606BA, 4BM, 1BAMS, 2BAMSt 1BDe, 1AM, 235MS, 2MSt, 2MD 77MStS, 1RM, 28tS, 90DeTr
Sesser	Franklin	3	3ARM
Stanford Stokes-Brownsville	Clay White	17	1RM 1TP, 1HR, 2CP, 3CB, 3CA, 2PA 1PLR, 4LR
Storms	White	2	1WA, 1WT
Tonti	Marion	4	3BA, 1BM
Tonti Trumbull	White	1	1AR
Walpole	Hamilton	1	1AM
West Frankfort	Franklin	9	1AL, 8LM
Whittington	Franklin Franklin	1	1MSt 1AL
Whittington West	Jefferson	5	4BA, 1RM
	00000000		
		3131	

a Names of sands are indicated as follows: G, Glen Dean B, Bethel Pe, Pennsylvanian Pa, Palestine M, McClosky Ma, Mansfield H. Hardinsburg D. Degonia Re, Renault St. St. Louis Br, Bridgeport Cl, Clore Ja, Jackson A, Aux Vases S, Salem W, Waltersburg C, Cypress De, Devonian Bi. Biehl L, Lower Ohara J, Jordan T, Tar Springs P, Paint Creek R, Rosiclare Tr, Trenton

lized or lost. As the unused excess of unmetered gas is simply flared, there is no incentive for efficient use as long as there is enough gas available, and it is probable that a much greater amount is used than would be necessary to accomplish the work.

Half of the unmetered gas and more than half of the unutilized gas came from three counties, (Wayne, Clay, and Richland), had a specific gravity above 0.9, and a potential light products yield of 6 to 8 gallons per thousand cu ft. The period of major gas production from any one well in this area is very brief, probably three-fourths of the total gas output of the average well occurring in the first two years. There is very little utilization of the flush gas production, for pump requirements are proportionally

lighter during flush production, and there is less need for heat for breaking emulsions.

Table 8 indicates the Illinois gas marketed during 1948. Nine gas wells were completed and shut in during 1948 in Waverly, DuBois, Herald, and Roland pools, and 1 completed in Storms gas cap is being utilized.

Table 8 — Natural Gas Produced in Illinois and Marketed in 1948

Field, County	Where Marketed	Amount Marketed Million cuft.
Ayers (gas), Bond	Greenville, Ill.	9
Louden (gas wells), Fayette Louden (plant residue),	Vandalia, St. Elmo, (136
Eayette	Brownstown, Ill.	14
Russelville (gas), Lawrence	Indiana	49
Storms (gas cap), White	Carmi, Ill.	110

SECONDARY RECOVERY

Eight new water-flooding operations were started in Illinois oil fields in 1948, two in White and one each in Clay, Crawford, Franklin, Jasper, Marion, and Wabash Counties. Two of these operations, Bellair in Crawford and Jasper Counties and Benton in Franklin County should materially add to the state's recoverable reserves. Water-flood operations in the existing flood areas continued to expand, particularly in the Siggins and Patoka fields.

Progress was made during 1948 on engineering plans for a unitized water-flood in the Salem field, Marion County, by a committee representing several of the operating companies.

It is estimated that more than 11,000,000 bbl of oil have been recovered by water-flooding to the end of 1948. It is not possible to estimate the additional oil recovered in the many areas of air and gas repressuring.

OUTLOOK FOR 1949

If the general economic situation continues favorable, oil and gas drilling in Illinois in 1949, both exploratory and for pool development, will probably continue at nearly the same rate as in 1948. A new impetus to exploratory drilling in the northern part of the Illinois basin has been given by the discoveries in 1948 of Devonian limestone oil production in the Assumption and Assumption North pools, Christian County, Illinois, and the Wilfred and Springhill pools a short distance from the state line in west central Indiana.

ACKNOWLEDGMENTS

The writers are indebted to many oil and gas companies, pipe line companies, and refining companies for data used in this report. The following members of the Survey staff assisted in preparing the report: Frederick Squires, David H. Swann, Wayne F. Meents, Richard J. Cassin, Nancy Cassin, and Lester W. Clutter.

FOOTNOTES TO COLUMN HEADINGS TABLE 1

- ^a All fields to be listed alphabetically, and if by counties, the latter also in alphabetical order.
- b Use as many numbered lines as necessary to list in order of increasing depth each reservoir productive of oil, gas or condensate. In multi-reservoir fields the (upper) line on which the field name is placed should reflect, in certain columns, the totals of the separate reservoirs listed below it. Show name of producing formation, and show its age by abbreviation as follows: Cam, Cambrian; Ord, Ordovician; Sil, Silurian; Dev, Devonian; Mis, Mississippian; Mis, Lower Mississippian; MissU, Upper Mississippian; Pen, Pennsylvanian; Per, Permian; Tri, Triassic; Jur, Jurassic; CreU, Lower Cretaceous; Ecc, Eocene; Olig, Oligocene; Mio, Miocene; Pli, Pliocene.
- Volume of gas produced from the field and not returned to the reservoir. Indicate measurement pressure base in special footnote.
- d Only gas production shown in the gas production column of this table, and only oil shown in the oil production column of this table, should be considered in calculating entries for this column, i.e., entries should correspond with gas production for the year divided by oil production for the year.
- Include all original completions, but exclude workovers or wells deepened or plugged back. Abandoned refers only to wells abandoned after having produced oil, gas or condensate and is not to include wells abandoned without having secured production.
- 'A well producing both oil and gas is classified as an oil well, unless it has been designated as a gas well by the State regulatory agency. Gas wells are wells producing gas only or condensate, and wells producing gas with some oil but classified as gas wells by the State regulatory agency.
- $^{\varrho}$ Show type of operation as indicated by the following symbols: P, pressure maintenance; G, gas injection; W, water injection; C, cycling.

- A Show weighted average gravity A.P.I. as oil is delivered to the pipe lines and percentage of sulphur, if any, in the oil. Where oils from more than one reservoir are commingled and delivered into the pipe line at a gravity of 26 to 26.9, show as 26°, etc.
- ¹ Show character of formation by code letter as follows: A, anhydrite; C, chalk; Cg, conglomerate; Ch, chert; CR, cap rock; D, dolomite; Da, arkosic dolomite; Gw, granite wash; Sh, shale; L, limestone; LS, limestone; Sandy; OL, colitic limestone; S, sandstone; T, tillite.
- J Figures represent ratio of pore space to total volume of not reservoir rock expressed in per cent. P indicates reservoir rock is of porous type, but ratio is not known by the author. C, indicates that the reservoir rock is of cavernous type; and F, fissure type.
- * Show actual depth to top of producing zone or reservoir. If producing zone is a series of interbedded sands and shales, and the sands are all productive or capable of producing, show the depth to top of top sand member.
- ¹ Show actual average thickness that is producing or known to be productive. If, for example, average thickness of productive zone above water level is 50 feet, show 50 feet, even though wells are completed in only upper 10 or 15 feet of zone.
- m A, anticlinal; AF, anticlinal with faulting as important factor; Af, anticlinal with faulting as minor factor; AM, accumulation due to both anticlinal and monoclinal structure. D, dome. DS, salt dome; H. strata are horizontal or nearly horizontal; MC, monocline with accumulation due to change in character of stratum; MF, monocline-fault; MI, monocline with accumulation against igneous barrier; ML, monocline-lense; MU, monocline-unconformity; M, monocline with accumulation due to sealing at outcrop by asphalt; N, nose; S, syncline; SL, shoreline; T, terrace; TF, terrace with faulting as important factor.
- n Show name of deepest stratigraphic zone tested and total depth of well that tested such zone, whether it is deepest well in field or not.
 - x. Correct entry not determinable.





